

610.02 057c
This issue contains the **SEPTEMBER INDEX**

CURRENT LIST of MEDICAL LITERATURE

Vol. 17

September 30, 1949

No. 11-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY
Washington, D. C.

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abnorm. abnormalities	in inf. & child. in infants and children
accomm. & refrac. accommodation and refraction	indust. industrial
addict. addiction	infarc. infarction
admin. & dos. administration and dosage	infect. infection, infectious
admin. & org. administration and organization	inflamm. inflammation
anat. & histol. anatomy and histology	inj. injuries, injurious
appar. apparatus	innerv. innervation
artif. artificial	insuff. insufficiency
bact. bacteriology	med. medical, medicine
bibliogr. bibliography	ment. mental
bod. body, bodies	metab. metabolism
chem. chemistry	morphol. morphology
comm. communicable	mortal. mortality
compl. complications	nerv. nervous
cond. conditions	obst. obstetrics
congen. congenital	obstruct. obstruction, obstructive
defic. deficiency	pathol. pathology, pathological
deform. deformities	perf. perforation
degen. degeneration	phys. physical
dent. dental, dentistry	physiol. physiology, physiologic
determ. determination	pois. poisoning
develop. development	postop. postoperative
diag. diagnosis, diagnostic	pregn. pregnancy
dis. diseases	preop. preoperative
disloc. dislocations	prep. preparation, preparations
disord. disorders	preserv. preservation
econ. economic	prev. prevention
educ. education	prod. production
eff. effects	progn. prognosis
embryol. embryology	progr. progress
epidemiol. & statist. epidemiology and statistics	psychiat. psychiatry, psychiatric
etiol. & pathogen. etiology and pathogenesis	psychol. psychological, psychology
exam. examination	pub. public
excis. excision	regen. regeneration
exper. experimental	roent. roentgenography
for. bod. foreign bodies	rupt. rupture
form. formation	san. sanitation
fract. fractures	seq. sequels
Gt. Brit. Great Britain	serv. services
gyn. gynecology	soc. social
hemorrh. hemorrhage	standard. standardization
hered. heredity	strict. stricture
hist. history	surg. surgery, surgical
hosp. hospitals, hospitalization	ther. therapy
hyg. hygiene	tox. toxicity
immun. immunity	train. training
	transm. transmission
	transpl. transplantation
	traum. traumatic
	U. S. United States
	wds. wounds

SUBJECT INDEX

Vol. 17, Nos. 8-11 (cols. 361-608)

September 30, 1949

- ABDOMEN, acute conditions 458f; drainage 395d, 497f; gangrene 425f; hematoma 573a; pain 383v, 427n, 444k, 445b, 453o; surg. 390w, 391b, 454f, 495b, 561i, 569t
- ABNORMALITIES AND DEFORMITIES, 387d, 538i, 562h; hered. 375u, 453u, 557f
- ABORTION, 445i, 499w, 505r, 558o; compl. & seq. 405m; criminal 364k; ther. 376r, 397-1, 577v
- ABSCCESS, ther. 425w
- ACANTHOSIS, nigricans 487-1
- ACCIDENTS, 457v, 518h; prev. 601i
- ACETALDEHYDE, metab. 393h
- ACETAMIDES, 378p
- ACHONDROPLASIA, 399e, 594g
- ACID, acetic 405s, 422j, 428p; p-aminobenzoic 384m, 418-1, 497m; p-aminosalicylic 396m; amino-valeric 608g; fatty 422i, 422j, 508w; formic 567-1; glucuronic 366d, 422a, 422o, 548h; glutamic 421h, 421v, 571s; hydrochloric 561p; inositolphosphoric 466c; iodoacetic 436q; hyaluronic 463p; lactic 369b, 371w, 407p; maleic 546g; malonic 471i; organic 405q, 423o, 547u; phenylpyruvic 463v; phosphoric 443i; saccharic 548h; succinic 367b; tricarboxylic 482p; undecylenic 533g, 533m, 568o
- ACID-BASE EQUILIBRIUM, 417w, 494m
- ACNE, 388g, 426k; ther. 370u, 381u, 552-1
- ACRIDINE DYES, 471m, 471p; tox. 563k
- ACROCEPHALY, 584r
- ACRODERMATITIS, 426r
- ACRODYNIA, 593t; in inf. & child. 404a
- ACROMEGALY, 431r, 554h
- ACTINOMYCETES, 418m
- ACTINOMYCOSIS, 560k, 570s; colic 604s; intestinal 508c; ovarian 510a; pulmonary 510r, 544q, 602p; rectal 604s; ther. 453s, 508b; thoracic 510r
- ADDISON'S DISEASE, blood in 434a; compl. & seq. 372k; metab. in 497v
- ADHESIONS, abdominal 512r, 606f
- ADOLESCENCE, ment. aspects 567k
- ADOPTIONS, 584v
- ADRENAL PREPARATIONS, eff. 394p, 407o, 408o, 409b, 427s, 428h, 443g, 489b, 490m, 574r, 593v, 597g; metab. 366o; ther. 383o; tox. 557u
- ADRENALS, 498b, 540d; chem. 394q, 469j; excis. 427v, 490m, 490s, 605s; hemorr. 448w, 532d, 532r, 577m, 580u; insuff. 453n, 503n; irradiation 412j; pathol. 469c; physiol. 382g, 408e, 427v, 428c, 428g, 436k, 488r; secretion 390n, 394n, 407h, 407i, 450u; tumors 409f, 489w, 499q, 593r
- ADRENOCHROME, 366o, 362f
- AEROSOLS, 478i
- AGAR, 471p
- AGGLUTININS AND AGGLUTINATION, 380s, 381g, 402-1, 448n, 513b, 520a; hemagglutination 394o, 415e, 440i, 514p, 559j, 580j, 563i, 595q
- AGGRESSION, 567j, 586k
- AGRICULTURE, 536p, 556k
- AIR, bact. 478i, 608j; pressure 589u
- ALBUMIN, 515h
- ALCOHOL, 375w, 508e, 533j
- ALCOHOLISM, 374q, 523h; hered. aspects 374j; hist. 432o; ther. 374r, 374s, 374t, 407a, 452u, 498n, 525f, 578-1
- ALGAE, 373i, 534c, 534d, 537d, 545m
- ALKALI, 562; determ. 592m; tox. 532e
- ALKALOIDS, 491t; tox. 380t
- ALLANTOIS, 428u
- ALLOXAN, eff. 573m
- ALOPECIA, 501-1, 599s; ther. 425u
- ALTITUDE, 541h; high 363c, 508o, 546p, 600h
- ALUMINUM AND ALUMINUM COMPOUNDS, ther. 367q, 505m
- AMEBIASIS, 380m, 478r, 480j, 502d, 552i, 552u, 568v, 575p; compl. 570i; diag. 442q, 543c; exper. 478g; genital 519p; hist. 478-1; ther. 442d, 444k, 478p, 567n, 579-1
- AMENORRHEA, 377d; diag. 515-1; etiol. & pathogen. 494w
- AMIDINES, 402m, 421i, 472j
- AMINES, 406a, 408v, 515r
- AMINO ACIDS, 394e, 484d, 547u; determ. 500w; eff. 364c; metab. 433c; ther. 488g
- AMINOAZOBENZENE, 364p
- AMMONIA AND AMMONIUM COMPOUNDS, 534e, 587q; quaternary ammonium compounds 471k, 517t
- AMNESIA, 520v
- AMNION, dropsy of 575o
- AMPUTATION, 477q, 524n, 572o; compl. & seq. 605s
- AMPUTATION-STUMPS, 460t
- AMYLASE, 365v
- AMYLOIDOSIS, 489r, 590b; diag. 549h
- ANALGESICS, 397d, 515e, 520v
- ANAPHYLAXIS AND ALLERGY, 361g, 385p, 457a, 487a, 502e, 505o, 508g, 545e, 545g, 545i, 550o, 568p, 570r, 571m, 583i; bacterial 361j, 411g; etiol. & pathogen. 466n; exper. 545d; immun. 567f; in inf. & child. 530r; manifestations 361f, 426a, 448a, 475e, 520m, 564m, 573m, 575d; pathol. 427h; ther. 377f, 550e, 582h, 590e
- ANATOMY, 433r, 483e
- ANDROGENS, 389c, 526t; eff. 450s, 450u, 490-1, 548o; ther. 389d, 451n, 504j, 515n, 530t, 560r, 603q
- ANEMIA, 375v, 386m, 456u, 502a, 562m; aplastic 499r, 561a, 573n; exper. 393p; hemolytic 384h, 402-1, 434-1, 434m, 451g, 523q; hypochromic 507g; in inf. & child. 405r; in pregn. & puerper. 378h, 405w, 539q; myelopathic 463j; sickle cell 532j, 556m; splenic 401v, 468u, 470q, 539r, 592n; ther. 387w
- ANEMIA, PERNICIOUS, compl. & seq. 435w, 588t; pathol. 583a; ther. 387o, 435w, 436d, 437g, 501s, 565e, 581o
- ANESTHESIA, 362-1, 362o, 362i, 417n, 417q, 445q, 453i, 477f, 503f, 512f, 512g, 518m, 550f, 574e, 580r; appar. 362s; barbitol & barbitol derivatives 362e, 362f, 362i, 408t, 417o, 417p, 449j, 472f, 585s, 586u, 590e; compl. & seq. 386f, 449-1, 453i, 580g; conduction 391k, 478k, 47-1; curare 362e; cyclohexane 362a; cyclopropane 362c, 362h; eff. 362d, 362-1, 456u, 456w, 598f; ether 432e; ethyl aminobenzoate 433i; fatalities 57 x; hist. 432n; in Canada 605d; in dent. 368o, 424a, 486j, 550e, 550f, 551i; in gyn. & obst. 362o, 417m, 449f, 449g, 449h, 449i, 451f, 462c,

- 494u, 520v; intracrine 416-1; local & regional 429g, 473c, 541v, 550e, 597-1, 598f; nupercaine 362r; premedication 568w; procaine & procaine compounds 362g, 368o, 417o, 417p, 451g, 477m; spinal 362q, 376d, 417m, 448i, 449f, 449g, 519n, 563p; tri-chloroethylene 494u
- ANEURYSM**, 571n, 576k; aortic 385v, 461q, 538j, 603o; arteriovenous 499u, 516v; carotid 591e; cerebral 519a, 532k; ophthalmic 588o; popliteal 540b; ther. 483k
- ANGINA**, Ludwig's 578k
- ANGINA PECTORIS**, 453f, 461w; ther. 398b, 500s, 542m
- ANIMALS**, 491v; physiol. 492o
- ANKLE**, blood supply 455k; surg. 476h
- ANTHRACENE**, 555o
- ANTHRAX**, diag. 606c
- ANTHROPOLOGY**, 430b, 481e, 481g, 481h, 481j
- ANTHROPOMETRY**, 562c
- ANTIBIOTICS**, 411f, 418k, 418s, 448d, 492d, 492q, 498b, 501q, 507e, 510p, 513k, 5711, 5741, 575a, 578w, 587t, 596f
- ANTIGENS AND ANTIBODIES**, 3611, 361k, 365a, 509t, 545f, 608d; form. 384e, 465u
- ANTIPIYRETICS**, 406j, 533k
- ANTISEPSIS AND ANTISEPTICS**, 386p
- ANUS**, abscess 391g; anat. & histol. 607o; artif. 571t, 604c; fissure 391j
- ANXIETY**, 526w
- AORTA**, roent. 390-1, 578d; strict. 395i, 446t, 483m, 502k, 513k, 516s, 554g, 603o, 603i; surg. 501-1
- AORTITIS**, ther. 365g
- APPARATUS**, 373s, 373w, 374v, 375a, 375b, 375c, 375d, 375e, 375f, 375g, 375h, 375i, 375m, 381k, 402w, 406m, 424t, 429q, 451k, 499u, 596j
- APPENDECTOMY**, 513n; compl. & seq. 584e; technic 377d
- APPENDICITIS**, 513h, 552v, 568v; compl. & seq. 523k, 576-1; diag. 521d, 580w; epidemiol. & statist. 568d; etiol. & pathogen. 595u; exper. 455q, 607k; in old age 513g; pregn. & appendicitis 505q
- APPENDIX**, roent. 521d; tumors 476o, 582a
- APPETITE**, disord. 455c, 543q
- AQUEOUS HUMOR**, 429d, 467c, 527-1, 588a, 588b, 588c
- ARACHNODACTYLIA**, 475-1
- ARACHNOID**, inflam. 388h, 468p
- ARECA**, 533k
- ARMS**, blood supply 386r
- ARRHYTHMIA**, 362c, 382j, 382k; auricular fibrillation 449k; auricular flutter 470b; extrasystoles 433u; in inf. & child. 470b; ther. 580o
- ARSENIC AND ARSENIC COMPOUNDS**, 484s, 509b, 597s; ther. 580k; tox. 378q
- ARSPHENAMINES**, injur. eff. 486w, 499r
- ARTERIES**, 452o, 454u; carotid 521c; inflam. 459d; femoral 571q; maxillary 442b; occlusion 571c; pathol. 455e; pulmonary 578q, 592r, 599e; rupt. 451j; spasm 605s; subclavian 531c; temporal 386s, 586n; wds. & inj. 540c
- ARTERIOSCLEROSIS**, 538j, 540a, 540b, 569d; cerebral 389r, 525e; compl. & seq. 462u; exper. 483i, 483j, 557u; ther. 462u, 506d
- ARTHRITIS**, 398t, 440j, 533h; exper. 394f; syphilitic 456a; ther. 501m, 571b, 596h; tuberculous 448r
- ARTHRITIS, RHEUMATOID**, 395n, 463g, 501h, 503a, 510c, 565m; compl. & seq. 449n, 487k; ther. 477w, 520k, 567-1
- ASCARIASIS**, 404v, 441q, 517f, 568f, 572q, 602g; ther. 503-1
- ASCARIS**, 430j, 430k, 595u
- ASCITES**, 446d, 495u, 578h; 438s 463s
- ASCORBIC ACID**, 428c, 465p, 465w, 489d, 541o, 597g; defic. 595j; eff. 455f, 556o
- ASPERGILLUS**, 367e, 547b
- ASPHYXIA**, 529n; neonatorum 462c
- ASTHMA**, 383b, 438n, 457n, 509g, 516c, 541q, 5611, 579n; diag. 450c; etiol. & pathogen. 442i; in inf. & child. 502h; ther. 390j, 451k, 454h, 503m, 512j, 515m, 541p, 581u
- ASTIGMATISM**, 583h
- ASTRAGALUS**, fract. 462w
- ASTROLOGY**, 447n
- ASTRONOMY**, 492o
- ATAXIA**, 434v
- ATHLETICS**, 378t, 474o, 507j; inj. 426h
- ATLAS AND AXIS**, dis. 451u
- ATOMIC ENERGY**, 369k, 373t, 380h, 484w, 485a, 485b, 485c, 491q, 496k, 522g, 538m, 570q, 574q
- ATROPHY**, muscular 399c; unilateral 563j
- ATROPINE**, 460p; eff. 599g; tox. 573m
- AUREOMYCIN**, 405k, 446q, 476e, 501q, 542f, 550c, 556h; eff. 458m; ther. 437b, 532j, 539-1, 574q, 587s
- AVIATION AND AVIATORS**, 363b, 363c, 418d, 428g; dis. 363a; med. 523k; physiol. & pathol. eff. 417v; tests 418b; transportation of wounded and sick 418c
- AXILLA**, 396s
- AZO BENZENES**, 547p
- BACITRACIN**, 425f, 560-1
- BACHACHE**, 436d, 578g; ther. 449e, 453s, 453t
- BACTEREMIA**, 531g
- BACTERIA**, 363q, 363r, 438a, 452p, 491k, 545m, 564c; abortus & mellitense group 572h; action 362k; aerobic 363-1, 421n; aerogenes capsulatus 517u, 575n; cereus 363o; clostridium 381h, 555b; coll. 421t, 425w, 518h, 5211, 521j, 559d, 597m; culture 364c, 393h, 419h; culture medium 534-1; enterococci 366p; growth 364b; hemophilus 470f, 593o; lactic acid group 369a, 374m, 484e; metab. 363i, 366v, 367f, 418h, 418j, 475p; micrococci 377r; mucosus capsulatus group 470i; mycobacteria 544a, 592i; neisseria 560c; pasteurella 394j, 560m; prodigiosus 418r, 534n, 546u; pyocyanus 486w, 520t; subtilis 383c; typhoid group 363n, 383-1, 454o; variability 366v, 418n; viability 419a, 419b, 451s; vibrio 363p
- BACTERIOLOGY**, 492t
- BACTERIOPHAGE**, 363o, 395b, 521j; typhoid group 384d, 454c
- BAL**, eff. 394t, 587v; ther. 402q, 561s, 573n
- BALNEOLOGY AND BALNEOTHERAPY**, hist. 453g
- BARBITAL AND BARBITAL DERIVATIVES**, 406k, 472m, 575w; determ. 421u; eff. 443p, 596m, 598v; tox. 470n, 515r, 593k
- BARIUM**, 430s
- BARTHOLIN'S GLANDS**, dis. 579s
- BATHS**, 542k; mud baths 542o; thermal 428d, 438k, 499h, 541a, 541s
- BEES**, 491p
- BEEES**, 419i
- BEHAVIOR**, 410h
- BENTONITE**, 374a
- BENZENE**, tox. 454i, 534r, 572h
- BENZOATES**, 597-1
- BENZOPYRENE**, 546w, 547r
- BERIBERI**, in inf. & child. 433n
- BERYLLIUM**, 417f; tox. 378g, 497p, 568m
- BETAINES COMPOUNDS**, 420c
- BIBLIOGRAPHY**, med. 377-1
- BILE**, acids & salts 407i, 548j; pigments 572p
- BILE DUCTS**, abnorm. 461j, 523p; calculi 607b; cancer 443k, 469b; dilatations 452f; obstruct. 539m; roent. 607u
- BILIARY TRACT**, dis. 390s, 489n, 553d, 604b; drainage 570m; surg. 387d
- BIOLOGY**, 444s, 447n
- BIOMETRY**, 364g, 364h, 418w, 419a, 419b, 419-1, 419m,

- 419p
BIOPSIES, 454n, 460p, 514e, 514m
BIRTH, 376k
BIRTH CONTROL, 363v
BISMUTH AND BISMUTH COMPOUNDS, 402j, 533k;
determ. 472r; ther. 503k; tox. 572b
BLADDER, 453v; calculi 494k; cancer 416f, 602-l;
cystoscopy 380i; diverticula 450e; embryol.
361n; exstrophy 416h; hernia 397g; obstruct.
581r; pathol. 494j; regurgitation from 416e;
surg. 415u; tuberculosis 387g
BLINDNESS, 588g; etiol. & pathogen. 445r; in inf.
& child. 506r, 593-l; toxic 443p
BLOOD, 458-l; amino acids 366g, 366h, 488u; amy-
lase 384q; calcium 529g, 599-l; carbon monoxide
515t, 517t; chem. 488-l, 565t, 578i; cholesterol
393g, 427w, 438k, 541k; cholinesterase 405g, 428h,
456u, 599c; circulation 391m, 409a, 434v, 459v, 488j,
521t, 521v, 530w, 540o; coagulation 381d, 394h, 406n,
435b, 436m, 436v, 455n, 488n, 495i, 502c, 564a, 564i,
569e, 572n, 577a, 594f, 598b, 599d; copper 512o;
count 460w; dialysis 512s; enzymes 384s, 562t;
exam. 402w, 411d, 514m, 514p; fats & lipoids 509w,
529r; fibrin 440v; fibrinogen 394c; groups 367c,
430q, 528d, 532o, 577d, 608e; heparin 496h; hista-
mine 407k; iodine 367c, 565v; lactic acid 438t;
methylguanidine 577a; oxygen consumption 394k;
penicillin 598b; phosphatase 381m, 407e; picture
496g; platelets 402s, 433v, 496e, 599d; potassium
408b; proteins 367d, 367e, 427h, 428t, 433t, 440o,
450w, 452i, 456a, 456b, 456c, 488d, 488s, 523i, 525b, 56i,
564a, 571v, 580f, 580h, 593b; prothrombin 383h,
392e, 436n, 443j, 443s; reaction 364v, 402o, 422e,
525b; salicyl compounds 581s; sodium compounds
402o; viscosity 489e; volume 408s, 530c, 539g,
607k
BLOOD PRESSURE, 362h, 364j, 528-l, 599-l; capillary
600g; low 365n, 380d; venous 580g, 599e
BLOOD PRESSURE, HIGH, 384i, 416b, 420v, 457p, 459r,
500s, 509j, 509k, 540d, 565o, 571f, 573i, 584p; compl.
& seq. 389t; etiol. & pathogen. 412j, 498a, 511v;
metab. in 479v; ther. 388m, 420s, 420v, 452n, 488h,
505u, 510r, 512d, 519-l, 528c, 542d, 576a
BLOOD SUGAR, 409d, 482c, 525g, 527w, 630u; eff. of
drugs on 579a, 599u; hyperglycemia 528-l; hypo-
glycemia 362d, 505v, 532f, 604-l; in various cond.
592p
BLOOD TRANSFUSION, 441m, 444d, 500q, 509g, 563e,
563h, 566-l, 574t, 575s; donors 384-l, 402v; in inf.
& child. 405c, 608t; indic. 571m; plasma & se-
rum in 433t, 604g, 608f; preserved blood in 397p,
414g; substitutes 533g, 541v
BLOOD VESSELS, 526a, 575f; anat. & histol. 392h;
dis. 362j, 434h, 434v, 435a, 436a, 446s, 455e, 540a,
569m, 592h; physiol. 407d, 476u, 521v; wds. & inj.
511e
BLOODLETTING, 574t
BODY, height 554g; surface area 600e; weight 562c
BONES, abnorm. 436f; anat. & histol. 396u; atrophy
402a, 568c; cancer 606h; dis. 401t, 524h, 577s;
growth 398-l, 416h, 523u, 523w; infarct. 469d; mar-
row 427b, 447k, 459u, 469d, 477f, 498f, 512o, 525q,
561a; pathol. 398f; regen. 423r; roent. 412o,
475m; surg. 523i, 524r; transpl. 455k, 523h; tu-
berculosis 606k; tumors 404v, 501v, 539c
BORON COMPOUNDS, 494n, 494o
BRAIN, 413u, 527b; abnorm. 470i, 525o, 576d; abscess
401t, 591o, 591v; anat. & histol. 396s; atrophy
511f, 525-l; blood supply 395m, 451v, 467h, 475s,
527e, 537i; cancer 562j; chem. 408j, 421h, 421s,
464k, 472c; cysticercosis 581k, 581-l, 585i; dis.
386t, 398j, 464m, 464v, 565c; edema 580b; eff. of
drugs on 427t; electroencephalography 381b, 390h,
399i, 464t, 501b, 518q, 522i, 525h, 526v, 532m, 594t;
embryol. 419u; hemorrh. 390c, 399h, 455s, 499m,
508r, 525j; metab. 384r; pathol. 389r, 589f; phy-
siol. 422i, 472m; roent. 423u, 475i, 594b; surg.
399h, 400f, 465m, 584m, 584t, 585f, 585g; tumors
451v, 464t, 468g, 532s, 585f, 594t; wds. & inj. 382u,
390g, 399o, 414c, 443c, 463w, 499p
BREAST, 396v, 582m; abnorm. 385v; cancer 376u,
385v, 386f, 389d, 397b, 413r, 514g, 514i, 518g, 563j; de-
velop. 490w; dis. 515j; hypertrophy 426q; in-
flam. 441f; nipple 506m; Paget's dis. 44-l;
physiol. 407o, 595e; surg. 391d, 512s, 515g; tumors
505g, 547h, 547j, 547j
BROMIDE AND BROMINE, eff. 437s
BROMOPHENOL, 472r
BRONCHI, 501k; anat. & histol. 528s; cancer 460k,
487-l, 529g; cysts 529v; dis. 396h, 418i, 435f, 592r;
for. bod. 413k, 443t, 470r; hemorrh. 571d; obstruct.
435m; pathol. 403i; roent. 460k, 602c, 602o; strict.
576k; surg. 362-l; tuberculosis 520p, 543r, 590f;
tumors 442e; wds. & inj. 571d, 603g
BRONCHIECTASIS, 396i, 454b, 499j, 520q, 523r, 564g;
diag. 413h; in inf. & child. 594m; pathol. 607h;
ther. 544h, 602t
BRONCHOPNEUMONIA, 530m
BRONCHOSCOPY, 398f, 446-l
BURNS, 402i; compl. & seq. 499t; ther. 386n, 449r,
478g, 502a, 604a, 604g
BURSA, dis. 463i; inflam. 502i; omentalis 489g
BUTTERMILK, 531p
CADAVERS, 388k, 563m
CAFFEINE, eff. 600f
CAISSON DISEASE, 559v
CAJUPUT OIL, 574w
CALCANEUM, fract. 519o, 537p
CALCIFICATIONS, 450v
CALCIUM AND CALCIUM COMPOUNDS, 369u, 514s;
gluconate 597g; metab. 393k; ther. 574v
CAMPS, 531g
CANCER, 389i, 390b, 410u, 438-l, 448v, 452d, 470p, 474s,
512w, 547e, 562c, 563b, 569c, 572s, 581w, 583h; adeno-
carcinoma 573v; bile ducts 443k; cells 455j; cho-
rionic 376-l, 376m; clinics 383r, 474d, 513q; con-
trol 410t, 424m; diag. 397o, 449v, 455j, 460k, 476d,
476n, 489j, 509h, 510v; epidemiol. & statist. 458k,
547d; epithelioma 582t; etiol. & pathogen. 385c,
556f; exper. 365b, 386f, 429b, 547f, 547g; in old age
557v; metastases 389d, 396f, 413v, 459f, 500d, 511c,
562j; mortal. 364s, 364u; multiple 442o, 477r; pre-
cancerous cond. 364n, 552f, 576g; prev. 410u, 410v,
410w, 498k; radium ther. 514e; research 512k;
roent. 520s; syphilis & cancer 442-l; ther. 397b,
420m, 442a, 444a, 452b
CAPILLARIES, permeability 382f, 455f, 486g, 545g
CARBAZIDES, 389k
CARBOHYDRATES, 530u; in diet 386f; metab. 422i,
428t, 472f
CARBON DIOXIDE, 384t, 395a, 565r, 565s; eff. 598r,
599j; metab. 422b; ther. 370u, 425m; tox. 508r
CARBON MONOXIDE, 375p, 555s
CARBON TETRACHLORIDE, 427q; tox. 568f
CARBUNCLE, ther. 446q
CARDIOLIPIN, 383s
CARDIOVASCULAR DISEASES, 431n, 455h, 494t, 499d,
518o; diag. 420v, 516b; syphilis 457b; ther. 459p
CARDIOVASCULAR SYSTEM, 505b, 573w; abnorm.
435m; eff. of drugs on 391n, 407s; insuff. 578g;
pathol. 599s; physiol. 599g; roent. 479v, 521q,
577g, 601v
CAROTENE, 421f
CAROTID BODY, tumors 562g
CAROTID SINUS, 477m
CASE RECORDS, 438p
CASEIN, 462i, 500w
CASTER OIL, 538g, 564m

- CASTRATION, 563-1
CASTS, 604j
CATALASE, 546u, 547a; in blood 394j
CATARACT, 385u, 458i, 466p, 467m, 589p; extraction 400r, 527g, 588p, 605j; ther. 395r
CATTLE, 431e; dis. 431c
CAUTERY AND CAUTERIZATION, 580r
CAVERNOUS SINUS, 457-1, 468c
CECUM, cancer 381r; tuberculosis 578s; volvulus 447c
CELLIAC DISEASE, 530b, 530c, 592t
CELLS, 385s, 492h, 566g, 582-1; anat. & histol. 396p; division 422a, 429a, 483i, 547n, 547o; giant 603a; growth 547-1; inclusions 402j; mitochondria 435u, 599a
CELLULITIS, 445h, 486g
CELLULOSE, 581t
CEREBELLOPONTINE ANGLE, tumors 468o
CEREBROSPINAL FLUID, 408a, 437q, 514q, 516o, 530d, 605p; in various dis. 403w, 525g; physiol. 429k; tests 584c
CERIUM, 373q
CERUMEN, 469o
CESAREAN SECTION, 376e, 386v, 505s, 574c; compl. & seq. 500b
CHEMISTRY, 442j, 484j, 484k, 484-1, 484m, 484n, 484p, 484u, 554n; appar. 484o; phys. 428u
CHEMOTHERAPY, 389i, 596q, 598k; hist. 567f
CHICKENPOX, herpes zoster & chicken pox 487t; prev. 531w
CHILD WELFARE, 383f, 400h, 596a
CHILDREN, 362f, 383e, 434k, 451p; dis. 379p, 476r, 530-1, 535n, 592u; educ. & train. 432u, 470m, 517c; growth & develop. 400n, 530q, 535r; mortal. 470h; nervous & mental dis. 382b, 387t, 446g, 450q, 465h, 470a, 470m, 499b, 526v, 532m; nutrition 397j, 595g; phys. exam. 475u; psychol. 383p, 432v, 441e, 475u, 517c, 588k
CHLORIDES, tox. 508u
CHLORINE AND HYPOCHLORITE DERIVATIVES, 411k
CHLOROBUTANOL, eff. 534e
CHLOROETHYLAMINES, 419v, 452r; eff. 472k; ther. 439f, 448b
CHLOROMYCETIN, 470u; ther. 437b, 574q, 593e; tox. 562i
CHLOROPHENOL, 485p
CHLOROPHYLL, 550-1
CHOLERA, diag. 517f; ther. 478w
CHOLESTEROL, 385c, 422i; eff. 483j; prod. 422j
CHOLINE AND CHOLINE DERIVATIVES, 405u, 420c, 471e, 587o, 596p, 599i, 599v; eff. 375m, 389v, 409e, 557u, 597v, 599p
CHOLINESTERASE, 365t, 450u, 454g, 494t, 599c
CHOREA, heredity 526i
CHORIOMENINGITIS, 593w
CHORION, 428u
CHOROID, absence 589f; dis. 527p; tumors 466j, 588t, 589q
CHROMATOGRAPHY, 374b, 386s, 394e, 421g, 422q, 547u, 547w, 555p
CHROMOSOMES, 374e, 492e, 492v, 557m, 557n
CHVOSTEK SIGN, 584q
CINCHONA, tox. 543-1
CINCHOPHEN AND CINCHOPHEN DERIVATIVES, 515m
CITRATES, 489b
CLAUDICATION, intermittent 490v
CLAVICLE, 478u; fract. 462r
CLIMACTERIC, 385n, 389o, 565j
CLIMATE, 444m, 541f, 541g, 542-1, 554t
COBALT, 556q
COCAINE, 597d
COCCIDIOIDOMYCOSIS, 390a, 530-1
COCCYX, 568v
COCKROACHES, 560-1
CODEINE, 472r
COLD, 264r; eff. 363b, 520m
COLITIS, 405a; ulcerative 444w, 469c, 538b, 565a, 571l, 577e, 604c, 604w
COLLAGEN, 361f, 436a, 504g
COLON, abnorm. 553c; cancer 511c, 523a, 539i, 553i, 573-1, 606t; dilatation 404s, 565g, 581d, 600q; dia. 371w, 490c, 607r; roent. 538e, 538g, 561g; tumors 477c
COLOR, 375q, 401d, 467-1; standards 375k
COLOR PERCEPTION, 422s, 422u
COLORIMETER AND COLORIMETRY, 422u
COLOSTOMY, 465r
COLOSTRUM, 548b
COMA, ther. 515r
COMMUNICABLE DISEASES, 433-1
COMPLEMENT, 488a, 513b; fixation 504q
CONESSINE, ther. 442d, 567n
CONJUNCTIVA, hemorrh. 527k
CONJUNCTIVITIS, Parinaud's 589m; ther. 587r
CONSTIPATION, 445b, 541i; ther. 383a
CONSTITUTION, types 510m
CONTRACTURE, ther. 459j
CONVULSION, 597a; etiol. & pathogen. 565c, 571v; ther. 400b
COPPER, 419w, 587v
CORNEA, dis. 527s, 588-1; pathol. 466v, 588k, 589p; physiol. 528j, 588d; ulcers 400w, 467a
CORONARY VESSELS, 483h, 604u; blood supply 384j; dis. 435-1, 501u; occlusion 381s, 389s; pathol. 433w
CORONERS AND MEDICAL EXAMINERS, 513p
CORPUS LUTEUM, 495a, 582j; surg. 608a
CORTISONE, 497v, 596h
COSMETICS, 425c, 466n, 509b
COSMIC RADIATION, 374g, 491r, 555n
COTTONSEED, 568p
COUGH, 516c, 575-1; ther. 565j
COUMARIN, eff. 374k
CRANIUM, abnorm. 537o, 580c; dis. 538r; fract. 605p; tumors 402f; wds. & inj. 382u, 464s, 565a
CREATINE AND CREATININE, 593v; metab. 473e
CREEPING ERUPTION, 523c
CRETINISM, 420r
CRIME AND CRIMINALS, 372u, 372v, 373a, 428-1, 525f
CRIPPLES, 474-1
CRYSTALS, 373r, 373v, 554p
CULTURE, 465i
CURARE, 450o, 471r, 598m; admin. & dos. 449n; eff. 500f, 534e, 539q
CUSHING SYNDROME, 436a, 456e, 593r
CYANOSIS, 505b, 518d, 529q
CYCLOHEXANE, 484c
CYSTINE AND CYSTEINE, 533v
CYSTITIS, 416g
DATURA, 444o
DDT, 419b, 601m; eff. 492a, 542u
DEAF-MUTISM, 399s, 474g
DEAFNESS, 516-1, 529b; ther. 389e, 438c, 444a, 448k, 457n, 528w, 570d
DEATH, 457i, 583q; causes 417q, 536o; certification 379-1
DECUBITUS, ther. 562g
DEFECATION, disord. 390c
DEFICIENCY DISEASES, 396t, 464p, 498u, 498w, 562m; in inf. & child. 499a
DEGLUTITION, disord. 452d, 591o
DEHYDRATION, 366a
DELINQUENCY, 372u, 464g, 569q
DEMENTIA, senile 588q
DENTIFRICES, 368e, 368u
DENTISTRY, 368j, 368p, 369k, 369m, 379u, 423r, 423v,

- 424e, 424u, 485f, 485p, 485u, 486c, 486-1, 548s, 549b, 549f, 549q, 549r, 549t, 550h, 550m; appar. 369-1; economics 423p; educ. 444t, 485k, 549t; in Finland 368k; in Sweden 368-1; med. & dent. 423s, 486m; orthodontic 485k, 485-1
- DERMATITIS, 487s, 563k, 572c, 576f, 581i; etiol. & pathogen. 561i; herpetiformis 426r, 552c, 552m; ther. 519b; vegetans 572i; venenata 362s, 370t, 568n
- DERMATOLOGY, 381p, 425v, 426h, 519w, 520m, 552a, 585m, 596i
- DERMATOMYOSITIS, 426d, 467s, 525o, 582v
- DERMOGRAPHIA, 571-1
- DESOXYEPHEDRINE, eff. 362p
- DETERGENTS, 492j
- DEUTERIUM, 367b
- DIABETES INSIPIDUS, 572d; etiol. & pathogen. 579r
- DIABETES MELLITUS, 379-1, 443-1, 462a, 557a, 564w, 572b; coma in 525j; compl. & seq. 371p, 454u, 460h, 497s; etiol. & pathogen. 456h; exper. 386e, 427w, 503j; insulin in 434k, 569f; metab. in 456q, 497v; pregn. & diabetes 459t; ther. 385t, 389r, 447e, 455v, 457q, 457w; tuberculosis & diabetes 567w
- DIAGNOSIS, 577q; methods 460w
- DIAPHRAGM, abnorm. 371g; eventration 371g
- DIARRHEA, 381o, 520e; etiol. & pathogen. 371v; in inf. & child. 403u, 522p, 522q, 529o
- DIATHERMY, 467j, 523w, 540o, 589m, 589n; appar. 478h
- DIATHESIS, 382v; hemorrhagic 453m
- DIAZO REACTION, 447w
- DIBENAMINE, eff. 394m
- DICUMAROL, 435b, 466b; eff. 502b; metab. 436n; ther. 384j, 384k, 389u, 446v, 577k; tox. 456f
- DIETS AND DIETETICS, 387a; defic. 389w, 465p; dis. & diet 465t, 499d, 566k, 569c; exper. studies 465t; teaching 413b
- DIGESTIVE SYSTEM, 536i; abnorm. 529u; dis. 371i, 520c, 566f; roent. 520c
- DIGITALIS AND DIGITALIS PREPARATIONS, 498q, 573u
- DIPHTHERIA, 377v, 513p; compl. & seq. 457u; cutaneous 584b; epidemiol. & statist. 414t; heart in 519m; immun. 474t, 508e, 516i, 559e, 597i; nasopharyngeal 444b; ther. 531u; toxoid 560e
- DIPLOPIA, 468c
- DISEASE, 536o, 541f; chronic 540q; prev. & control 493d
- DIURESIS AND DIURETICS, 392v, 409c, 434j, 443g, 452e, 464n, 488m, 541i, 541j, 565p
- DRAWINGS, 586c
- DREAMS, 527a
- DRESSINGS, 477d
- DROWNING, 493o
- DRUGS, 372q, 372r, 406m, 406p, 406r, 470r, 533c, 533s, 597f; admin. & dos. 472b; eruptions 426e; legisla- tion 372p, 569c; tox. 363a
- DUCTUS ARTERIOSUS, 420s, 540f, 577g
- DUODENAL TUBE, 414a
- DUODENUM, cancer 606d, 607a; dis. 499t, 553g; di- verticula 390q; excision 445w; motility 561p; perf. 442g; physiol. 599k
- DUST, 378r
- DWARFISM, 434k, 444j
- DYES, tox. 396k
- DYSENTERY, bacilli 363m, 523i, 547a; compl. & seq. 404q; ther. 379w
- DYSMENORRHEA, 380i; ther. 431k, 435q, 443d
- DYSYPNEA, 503w
- DYSTROPHY, 588k; muscular 466j
- EAR, discharge 401u, 434o; dis. 516-1, 520t, 532b; ex- am. 571r; external 402c; for. body 380c, 402b; in- ternal 401p, 401s, 402a, 402e, 516m, 567d, 590u, 591-1; middle 516k; physiol. 528t; surg. 401u, 591d; tu- berculous 450r; tumors 469o; wds. & inj. 538r
- ECHINOCOCCOSIS, 410m, 538v, 558n
- ECHINOCOCCUS, 536f, 555h
- ECLAMPSIA, 500p; ther. 376h
- ECONOMICS, MEDICAL, 387j, 387k, 387-1, 456-1, 533c, 536-1; plans for med. care 434p, 507a, 533d, 535t; types of practice 509n
- ECZEMA, 426r, 527r, 566e; compl. & seq. 487w; etiol. & pathogen. 530v; in inf. & child. 509w, 545k; ther. 426c, 508w
- EDEMA, 499-1, 561i, 565s; angioneurotic 562i; etiol. & pathogen. 385u; exper. 394e
- EDUCATION, 465c, 471r
- EDUCATION, MEDICAL, 385g, 387t, 400k, 438v, 513e, 519q, 566n, 582a; in Russia 563-1
- EGGS, 482g
- ELBOW, 602k; abnorm. 538k; dis. 568j; fract. 525v
- ELECTRICITY, 556f; eff. 497e; inj. eff. 600p
- ELECTROCARDIOGRAPHY, 365-1, 382e, 382j, 405f, 420u, 426w, 431p, 433q, 436h, 436j, 437h, 442t, 445-1, 455i, 458n, 483m, 483n, 483o, 483p, 483q, 502k, 513i, 513j, 519m, 523n
- ELECTRODES, 374a, 586r
- ELECTROLYTES, 455h
- ELECTRONS, 491h
- ELECTROTHERAPY, 369j, 464n, 526e, 566f, 568u, 574u
- ELEMENTS, CHEMICAL, 373p, 423a
- ELEPHANTIASIS, 436o
- EMBOLISM, 440-1; air 382e; cerebral 413f; exper. 468t; fat 571v; femoral 571g; gas 590i; postop. 453k; pulmonar 382c, 398b, 446u, 468t, 539u, 540g, 577k; ther. 446u, 450b, 495j
- EMBRYOLOGY, 385p, 482q, 482r, 483d, 534h
- EMERGENCIES, 460v
- EMETINE AND EMETINE COMPOUNDS, 384m, 434s
- EMIGRATION AND IMMIGRATION, 379k
- EMOTIONS, 381s
- EMPHYSEMA, 403t, 565r; compl. & seq. 450c; diag. 594a, 603d; etiol. & pathogen. 367t; mediastinal 424e; pulmonar 602o, 602w; subcutaneous 424c
- EMPYEMA, 504-1; compl. & seq. 448d; in inf. & child. 404r, 509v; ther. 452t, 507p, 578t; tubercu- lous 445t, 448m, 567c
- ENCEPHALITIS, 517w, 525v; compl. & seq. 468d, 595t; diag. 593s; etiol. & pathogen. 460f; hem- orrh. 529r; herpes & encephalitis 525q; postvac- cinal 449w, 577q, 593g; ther. 538-1
- ENCEPHALITIS, EPIDEMIC, diag. 559f; epidemiol. & statist. 595w; sequels 386u, 397f, 397g, 397h, 526e; virus 504s
- ENCEPHALOMYELITIS, 535q; equine 394a, 440o, 532m, 559f, 559i; postvaccinal 531t
- ENDAMOEBIA, 478o, 478p; histolytica 561-1
- ENDOCARDITIS, 435d; infectious 385o, 441e, 460f, 460m, 503u, 511k, 557r, 563w, 577b, 579t
- ENDOCRINE GLANDS, 424i, 435q, 462d, 587f; disord. 451b
- ENDOCRINE THERAPY, 381v, 518g, 573b
- ENDOMETRIOSIS, 462b, 477k, 495b, 496a, 505o, 523q, 607v
- ENDOMETRITIS, 459a
- ENDOMETRIUM, 519e, 555g; blood supply 519e
- EOSINOPHILS, 387u, 426n, 427b, 434o, 444e, 523c, 545j, 568f
- EPHEDRINE AND EPHEDRINE COMPOUNDS, 533-1
- EPIDEMIOLOGY, 474a
- EPIDERMOLYSIS, bullosa 487n, 551f, 552c
- EPIDIDYMITIS, ther. 604p
- EPILEPSY, 389n, 498f, 505v; in inf. & child. 453c; ther. 519v
- EPIPHYSES, 364e, 517a, 523u; dis. 462j; physiol. 462j; separation 462k; surg. 605u

- EQUILIBRIUM, 589u
 ERGOT AND ERGOT PREPARATIONS, 608j; eff. 406j, 436k, 473h, 495m
 ERYSIPELAS, 591q
 ERYTHEMA, 602k; etiol. & pathogen. 361d, 572h; multiforma 426q, 440p, 470k, 487d, 510s; nodosum 426q, 444i, 602j
 ERYTHROBLASTOSES, FETAL, 403r, 404t, 439-1, 442d, 496a, 538e, 575n, 577p; etiol. & pathogen. 382o, 577d; ther. 568h, 571p
 ERYTHROCYTES, 382i, 413t, 595-1, 599c, 599d; count 580h; elliptical 496g; morphol. 456r, 497m; physiol. 482h; prod. 473g
 ERYTHROIDINE, 430o
 ESOPHAGUS, 461g; atresia 437m, 520r, 553b; cancer 413n, 413p, 489p, 603-1, 604t, 605m, 606u; dilatation 443p, 454v, 553i; hemorrh. 489s; inflamm. 553n; perf. 413c, 427i, 603h; strict. 531n, 590f, 591a, 603h; surg. 390j, 413n, 413o, 413p, 420g; tumors 457j; varix 401v, 581t; wds. & inj. 591m
 ESTROGENS, 421e, 495c, 505r, 554d, 564p, 597e; de-term. 428f; eff. 365b, 376o, 547g, 571o; in blood 435p, 438k; in urine 490p; metab. 366n, 372-1, 427q, 491g
 ESTRUS, 427t
 ETHANOLAMINES, 471f
 ETHER, eff. 598g; ther. 603w
 ETHICS, MEDICAL, 373b, 536c
 ETHMOID SINUS; cancer 528m; dis. 468f; tumors 590k
 ETHNOLOGY, 600o
 ETHYLENE GLYCOL, eff. 597m
 EXERCISE, therapeutic 449e, 463c, 463d, 519n
 EXOPHTHALMOS, 439-1, 570k; pulsating 602a
 EXOSTOSES, 604a
 EXPLOSIONS, 527j, 528r
 EXTREMITIES, abnorm. 386u; absence 531b; blood supply 488h, 539v, 603w, 605s; paralysis 441w, 462 462n, 501u, 505k, 540r, 540s
 EXUDATES AND TRANSDUDATES, 389k
 EYELIDS, abnorm. 589g; dis. 383t, 434s, 566e; physiol. 378t; surg. 446v
 EYES, 527m, 587p, 589p; abnorm. 467r, 587-1; ac-comm. & refrac. 400u, 460b, 468n, 368q, 527j, 527u, 527w, 528g; anat. & histol. 588h; artif. 368f, 467-1; cysticercosis 589a; diag. significance 424r, 528e; dis. 379q, 380b, 400s, 434g, 437n, 438d, 445u, 467a, 467d, 467m, 518c, 542a, 587s, 587t; exam. 467f, 518d, 589b; for. body 467b, 467i; hemorrh. 587g; in various cond. 466h, 528c, 528f; move-ments 528e, 528h, 588h; muscles 399-1, 466u, 588r; physiol. 466j, 534i, 587k, 589o; surg. 394b, 511j, 589a; tension 527h; tuberculosis 396m, 467h, 479s, 518b; wds. & inj. 379k, 400t, 467d
 ENZYMES, 366f, 366-1, 367b, 370o, 377u, 381-1, 382m, 402k, 421m, 421p, 421q, 422r, 422g, 422-1, 422n, 422p, 429b, 458o, 491u, 548e, 548h, 548-1, 560n; eff. 382-1
 FACE, abnorm. 529h, 589d; cancer 442n; dis. 369j, 425h, 486g; pain 459h; surg. 423v, 466a; wds. & inj. 549k, 551h
 FAGARINE, 491i
 FALLOPIAN TUBES, cancer 517d; dis. 502s; pa-thol. 494r; roent. 431h, 431j, 431k, 537s
 FAMILY, 528r, 536m, 600-1
 FASCIA, 605g
 FASTING, metab. in 599b
 FAT, 435v, 565u, 565v; in diet 386f, 530b
 FATIGUE, 399u, 522j; muscular 414e
 FECEs, 553i; exam. 498s, 514m, 572p
 FECUNDITY, 435j, 501d
 FEEBLEMINDEDNESS, 463s, 463t, 464b, 464c, 593p; diag. 463w; educ. in 463u; etiol. & pathogen. 463v, 532p
 FEMUR, dis. 441n, 462o, 462p; fract. 524e, 562w; pa-thol. 462k; tumors 449c, 477q, 605u
 FETUS, 530d; blood in 450j, 473g; death of 431v, 431w, 481d, 495t, 558f, 558i; pathol. 500n; physiol. 558f
 FEVER, 542h, 570a; diag. 379g; exper. 525m; high 563k, 568g; in inf. & child. 592v; therapeutic 388k
 FIBRIN, 416a
 FILARIASIS, 567n, 601m, 601n; ther. 498i
 FINGERPRINTS, 557e
 FINGERS AND TOES, abnorm. 524t, 554g; blood sup-ply 559o; dis. 540v; paralysis 398o; surg. 391h
 FIRST AID, 510j
 FISH, 558c
 FISTULA, anal 391q, 607o; arteriovenous 538f, 577-1, 599h; biliary 538c, 538v, 604b; brachial 591b; cho-lecystogastric 553k; esophagotracheal 437m, 520r; gastrojejunocolic 476m; hepatobronchial 565d; sigmoidoscolic 504e; sternocostal 518a
 FLAVONES, 393c, 489d; eff. 408f
 FLIES, 374n, 374o, 461r, 479p, 493v, 546-1, 546m, 546n, 546o, 557j, 557o; eradication 601q
 FLUIDS, 382q, 406g, 484i; admin. & dos. 471u, 605i
 FLUORENE, 382j, 577-1
 FLUORESCENCE, 530w
 FLUORESCENCE, 406e
 FLUORIDES, 264r, 369d, 369f, 378k, 423j, 424a, 486h, 529q; eff. 369r, 550m, 551n
 FOLIC ACID, 433d, 576g
 FOOD, 372r, 485s, 498v, 500j, 536p, 569c; pois. 454m, 465v, 531m, 583r; sanit. 583v
 FOOT, 375t; abnorm. 437v; deform. 462p, 517n, 523g, 524a, 570j; dis. 406w, 425o, 511i, 524a; hyg. 434h; pain 453i, 511h; surg. 439d; wds. & inj. 477r
 FOREARM, blood supply 408r, 408w
 FOREIGN BODIES, 569t; in air & food passages 569g
 FORMALDEHYDE, tox. 561t
 FOSFILLS, 555k
 FOWL PLAGUE, virus 393n, 393s
 FOWLS, 428o, 546r; dis. 429o
 FRACTURES, ther. 390m, 398e, 476g; ununited 562d
 FRAMBESIA, 425o
 FRECKLES, 514q
 FRONTAL SINUS, tumors 512k
 FROSTBITE, ther. 477r, 566r
 FRUITS AND VEGETABLES, 432w, 548g; vitamin content 433n
 FUNGI, 368r, 395-1, 421h, 429q, 475p, 530v, 545f, 581i; culture 419h, 491v
 FUNGICIDES, 419g
 FURAN DERIVATIVES, ther. 578t
 GALACTOSE, 421o
 GALLBLADDER, 553d, 607j; abnorm. 461j; absence 552r; calculi 452g, 565e; dis. 439n, 469m, 504p, 517o; excision 453u, 506v, 605o; inflamm. 572v, 575e; pathol. 469m; physiol. 455o; roent. 390k, 412-1, 537r, 538g; surg. 388a, 459w
 GALLIUM, 472d, 597q
 GAMMEXANE, 596o
 GANGLION, basal 500u; cervical 527h; ciliary 537h
 GANGRENE, 530i, 539v; gas 461p; in inf. & child. 530h; ther. 569d, 572o
 GARLIC, 544j
 GAS, 381k; eff. 528-1; ther. 444n
 GASSERIAN GANGLION, anat. & histol. 478k
 GASTRECTOMY, 553s
 GASTRITIS, 385u, 553j; ther. 446k, 553m
 GASTROENTEROLOGY, 501p
 GASTROENTEROSTOMY, 553-1
 GASTROILEOSTOMY, 414a
 GASTROINTESTINAL TRACT, surg. 606m
 GELATIN, 394v, 604n
 GENITALS, abnorm. 495s; cancer 495e; dis. 516g,

- 562w; pa-
431v,
physiol.
5m; high
peptic 388
blood sup-
urg. 391h
538f, 577-1,
591b; cho-
437m, 520r;
al 565d;
18a
46m, 546n,
71u, 805i
4s, 486h,
is. 454m,
517n, 523g,
yg. 434h;
477r
ssages
ited 562d
vitamin
55f, 581i;
; absence
n, 504p,
n. 572r,
nt. 390t,
iliary 527h
& child.
76k
n
dis. 516g,
558a; exam. 431u; pathol. 459a; physiol. 427u;
tuberculosis 487a; tumor 519g; ulcers 455b,
487m
GENITOURINARY TRACT, dis. 381q; surg. 603g;
tuberculosis 391d, 391e, 391q, 503p; tumors 514j,
579e
GEOGRAPHY, 492r
GEOLOGY, 429v, 430k, 430s, 556j
GERMANIN, 422k, 422-l
GREE, 548d, 555c
GLASSES, 398j, 522h, 528c; contact 401e, 401h, 401i,
466i, 466s, 466t, 467u, 515c, 528i
GLAUCOMA, 441i, 510h, 587k, 588h; etiol. & pathogen.
443q, 588r; ther. 511j, 526h
GLOBULIN, 421e, 548b; in blood 394j
GLOVES, 540s
GLUCOSE, 436t, 489o
GLUCOSIDES, 430v, 472q, 472r
GLUTAMINE, 386d, 548m
GLUTEN, 373j
GLYCERIN, 471k
GLYCOGEN, 582n; in liver & muscle 386e, 517d,
596r, 600b
GLYKETAL, 597p
GOGGLES, 522h
GOITER, epidemiol. & statist. 500n, 542m; in inf. &
child. 453f; intrathoracic 539m; iodine & goiter
469k; prev. 428d
GOITER, EXOPHTHALMIC, 371r; ther. 570f, 575u
GOLD AND GOLD COMPOUNDS, 551s; ther. 542e,
571b, 573n; tox. 487v
GONADOTROPINS, 554i, 583e; chorionic 554f
GONOCOCCI, infect. 552o
GONORRHEA, infect. 468t; ther. 416r, 417q, 575a,
578d
GOUT, 510d
GRAAFIAN FOLLICLE, 519f
GRAMICIDIN, 548c
GRANULOCYTOPENIA, in inf. & child. 594p
GRANULOMA, 413w, 568m, 590o; annular 487k; dent.
550m; inguinal 426n, 460k, 581g, 608v
GRANULOSIS RUBRA NASI, 487s
GRASS, 373f
GROWTH, 363v, 430b, 430e, 482u
GUILLAIN-BARRE SYNDROME, 538h, 595p
GUMS, dis. 486g; tuberculosis 551h
GYNECOLOGY, 431n, 445u, 460n, 494t, 495h, 501r, 505p,
590o; diag. in 434c; surg. in 431m, 494h, 571b;
ther. in 438j, 451n, 608k
HAIR, 601i
HALITOSIS, 369h
HALLUCINATIONS, 382t, 399q
HAND, deform. 564s; dis. 511i; surg. 462s, 524r;
wds. & inj. 454c, 477r
HARELIP, 474m
HAY FEVER, 387n; in inf. & child. 502h; ther.
361g, 435t, 508e
HEAD, wds. & inj. 457w
HEADACHE, 455s, 499e, 519n, 570u, 570v, 570w, 586n;
etiol. & pathogen. 590r; ther. 445b, 528n
HEALTH, 475f; educ. 492p, 535r; resorts 438h,
541a, 541m, 541n, 541q, 541r, 541s, 563v
HEARING, 589u, 591k; aids 363b, 530o; disord.
589v, 591k; exper. 395f; pathol. 526k; physiol.
401q; tests 529i, 590c
HEART, 390g, 393t, 504t, 505b; abnorm. 361u, 436f,
441u, 459o, 483n, 504w, 505b, 505c, 513k, 529n, 529u,
530h, 530w, 531c, 532c, 573o, 577f, 577g, 578s, 592p;
anat. & histol. 396g; beat 407r, 517i, 600g; block
365i, 385t, 420q, 436h; blood supply 483n, 577h,
582n; calcification 460i; catheterization 393q,
436i, 479v, 577g; conductive system 365h; cysts
469g; dilat. 471d; dis. 365f, 365m, 1,420p, 435m, 438
438j, 451u, 455s, 495p, 498p, 512m, 521u, 533h, 571f,
577b; eff. of drugs on 362g, 389-1, 472c, 564h, 598c;
function tests 483h; hypertrophy 529u; infarction
365m, 420u, 435d, 446v, 455i, 483-1, 516u, 576j; in-
nerv. 471d, 471g, 471j; insuff. 365j, 381b, 386o, 397q,
431s, 434j, 437d, 437h, 500r, 516v, 565p, 596t, 599t;
murmurs & sounds 506-1, 532t, 561b, 561h; mus-
cle 582n; pathol. 562m; physiol. 365o, 365p, 451o,
469o, 471m; rate 393o, 393r, 436i, 455w, 471-1, 520-1
roent. 365o, 420t, 506b; rupt. 516u; size 451o;
surg. 440-1, 440m, 515s, 540d; tumors 390c, 451j,
571u; valves 445-1, 469g, 577b; wds. & inj. 457f
HEAT, eff. 449a, 557s, 592v
HELLEBRIN, 564b
HEMATOMA, 416b; etiol. & pathogen. 416k, 506o
HEMIANOPIA, 505-1, 581m, 589j
HEMIPLEGIA, 391u, 440h; etiol. & pathogen. 468i;
puerperal 444p
HEMOCHROMATOSIS, 436c, 567a, 569-1
HEMOGLOBIN AND HEMOGLOBIN COMPOUNDS,
381g, 393i, 393-1, 430j, 450j, 451o, 497m, 529q, 548f,
548g; determ. 514s; metab. 422b
HEMOGLOBINURIA, paroxysmal 519k
HEMOLYSIS, 402r, 430q, 455s, 496s, 582w
HEMOPHILIA, 436w, 470q, 521p; compl. & seq. 424b
HEMOPNEUMOTHORAX, 513-1; etiol. & pathogen.
413c
HEMOPHOETIC SYSTEM, dis. 377e, 402k, 432c, 452i,
486b, 520u, 556p
HEMOPTYSIS, etiol. & pathogen. 438r
HEMORRHAGE, 454r; in dent. 367s; ther. 400v
HEMORRHOIDS, 606p; ther. 459s
HEMOSTASIS, 439p, 452j, 571w
HEPARIN, 539i; eff. 393c; ther. 384j, 566r
HEPATITIS, 392s, 496t
HEPATITIS, INFECTIOUS, 488i, 523b, 523d, 593j;
diag. 448c; etiol. & pathogen. 566p
HEREDIT, 364a, 366u, 373p, 374-1, 374n, 374o, 431c,
431d, 431e, 483d, 493c, 494e, 503b, 511u, 556w, 557d,
557i, 557j, 557k, 557-1; human 375t, 375u, 375w,
526v; in plants 366r; in U.S.S.R. 494f; mechanism
366s, 366t, 555a
HERNIA, 576e, 607u; diaphragmatic 489p, 518j, 530f,
538g; femoral 575c; inguinal 504d, 539b, 571c, 575c;
strangulated 390q; surg. ther. 508k, 523e, 605d,
607p; umbilical 583p
HERPES, zoster 448f, 464o, 487t
HIP, deform. 462k; dis. 404-1, 460h, 463-1, 520k, 541a;
disloc. 511s, 512q, 575j; inflam. 582c; surg. 478j,
515f, 520k, 524k, 524m, 606b; tuberculosis 604s
HIPPOCRATES, 388n
HISTAMINE, 407-1, 407m, 407n, 438a, 583i; antagonist
379r, 389h, 407b, 407j, 446k, 446g, 450o, 459m, 512n,
519a, 527m, 530r, 564j, 595o, 597a; chem. 491s; eff.
361d, 477-1; tox. 407k, 499s, 501i
HISTIDINE, 406b, 533k; metab. 473e
HISTOPLASMOSIS, 517b, 529o, 601f
HODGKIN'S DISEASE, 432d, 448b, 451q; ther. 602u
HOMICIDE, 569q
HOOKWORM INFECTION, 441q, 567p
HORMONES, 372i, 376s, 420b, 482a, 514g; eff. 450w,
459t; seq. 381m, 397b, 431t, 439v, 457a, 457r, 490k,
526t, 577s
HOSPITALS, 535s, 558s, 558u, 558w; admin. & org.
558v; anesthetic serv. 417r, 435g; children's
377o, 404p, 478b; dent. serv. 522h; dietetics
387a; economics 385m; hyg. & san. 535s; in
France 582i; in Mexico 510n; legislation 432a;
military 460v; pediatric serv. 594s; psychiatric
391o, 558v, 580f, 586g; staff 461t; veterans 362j,
385b
HUMERUS, fract. 397b, 439j, 578a
HYALURONIDASE, 376n, 382i, 393c, 429c, 439p, 463p,
488t, 556p, 556r, 560n, 598g; eff. 376v, 384o
HYDANTOINS, tox. 551j
HYDROCARBONS, 475b

- HYDROCKLE, 450s; ther. 386a
 HYDROCEPHALUS, 453m, 462i; diag. 468-1; in inf.
 & child. 450p; ther. 391u
 HYDROGEN ION CONCENTRATION, 562s
 HYDRONAPHTHALENES, 366m
 HYDROTHERAPY, 445i
 HYDROTHORAX, 495a
 di HYDROXYPHENYLALANINE, 365v
 HYGIENE AND SANITATION, 372r, 389a, 461i, 521b;
 in Poland 514d; teaching 474o
 HYPEREMIA, 407-1
 HYPERESTHESIA, 448q
 HYPNOSIS, therapeutic 585a
 HYPNOTICS, 472n, 595m
 HYPOSPADIAS, 502j
 HYPOTHALAMUS, 500p; physiol. 394s
 HYSTERIA, manifest. 444n
 ICHTHYOSIS, 426m
 ILEITIS, 591b; regional 383i, 383u, 553g, 570n
 ILLUSTRATIONS, 432j, 432k
 IMIDAZOLES, 447i; eff. 393u
 IMMUNITY, 461i, 483c, 496o, 496q, 496u, 567i, 576-1;
 mechanism 502p
 IMMUNOLOGY, 483d, 496n
 IMPETIGO, 451r; herpeticiformis 426r
 IMPOTENCE, 388e, 458r; ther. 388c
 IMPREGNATION, 373c, 379n, 388d, 490i
 INDIANS, AMERICAN, 505j, 555j
 INDOLE, 422c, 422d
 INDONE, 408i
 INDOPHENOL, 595j
 INDUSTRY AND OCCUPATIONS, 378r, 379b, 410o,
 433d, 465b, 474i, 492b, 497-1; dis. & pois. 378h,
 378j, 378-1, 378m, 378u, 379a, 396k, 426k, 487c, 497k,
 509b, 512o, 512v, 515f, 547d, 551u, 564n, 564o, 568w,
 572c, 572h; hyg. 378g, 378h, 378i, 497i, 497o, 507g,
 559n; inj. 378n, 497g, 500g, 502g, 564s; med. serv.
 plans 497b; med. & surg. 378g, 433c, 448r, 467p,
 497d, 497i, 569g; nutrition in 410r
 INFANTS, care 404f, 470e, 530-1, 594s; dis. 439b,
 469e, 470o, 521i, 531o, 577o, 592w, 594f; feeding 388a,
 403n, 403p, 403q, 404m, 404n, 530u, 593c; growth &
 develop. 403i; mortal. 434k, 470b, 474f, 493n, 500b,
 592q, 596a, 601e; nutrition & nutritional disorder.
 404c, 578b; premature 376g, 379q, 429-1, 511r, 527f,
 530t, 535-1, 535m, 593c, 594w
 INFANTS, NEWBORN, 404d, 443s, 464a, 530d, 571b,
 593s; blood in 469v; care 410p; dis. 441i, 508a,
 522p, 530e, 531e, 532k, 594c; hemorrh. in 499m;
 mortal. 474f
 INFECTION, 386w, 550o, 563f; compl. & seq. 442m;
 etiol. & pathogen. 548k; exper. 535n, 545m; focal
 396-1, 548v, 551m, 561e; ther. 425i, 604s
 INFLUENZA, 453b; epidemiol. & statist. 388s, 499g,
 560w; ther. 595s; virus 381j, 394d, 394o, 394u, 395g,
 440r, 440s, 440t, 497a
 INFRA-RED RAYS, ther. 380a
 INFUSORIA, 417d
 INHALATION, appar. 451i; ther. 434e, 469-1, 486c
 INJECTIONS, intra-arterial 477i; intramuscular
 488b, 498e; intravenous 435v, 488g, 568e
 INSANITY, 529g; communicated 464m; manic-
 depressive 465i; ther. 525j
 INSECTICIDES, 378q, 419b, 419d, 438m, 583m; tox.
 372r
 INSECTS, 417i, 479c, 555i, 556i; eradication 533o
 INSTRUMENTS, 402v, 423k, 476q, 500b, 529i
 INSULIN, 437b, 450-1, 580b, 604-1; eff. 422p, 480i, 513i,
 543q; prep. 372e; ther. 369a, 447e, 525c, 525i, 584v,
 598a; accident 378r; social 493j
 INTELLIGENCE, 450q, 464a, 600r, 600s
 INTESTINES, 429g; anat. & histol. 599n; bact. 395c,
 395d, 421u, 562n; calculi 548j; cancer 538s, 561m,
 603s; cysts 552s; dis. 440p, 499d, 512i, 580r; diver-
 ticula 460g, 489p, 502m, 504c, 505e, 552o, 607c; func-
 tion tests 498r; gangrene 540k; intussusception
 531e; motility 427j, 599j; obstruct. 398b, 435p, 441e,
 476o, 565e, 577b, 607e; parasites 415d, 481o, 482b,
 498s, 517g; perf. 404r; physiol. 371e, 520b, 599-1,
 607n; roent. 371h; surg. 446c, 502f, 512i, 540k; tu-
 berculois 480e; volvulus 570-1, 605c; wds. & inj.
 604c
 INTUSSUSCEPTION, 383w, 390p, 441p, 553-1, 594r,
 607c; ther. 509s
 IODINE AND IODINE COMPOUNDS, 386v, 447g; eff.
 483i; iodized oil 602o; metab. 504m; tox. 451c
 ION TRANSFER, 373i, 373j, 423i, 512n, 528i
 IONS, 602j
 IRIDOCYCLITES, 527o
 IRIS, 527s; absence 587k; anat. & histol. 467e; atro-
 phy 589g; surg. 588a
 IRON, metab. 436c
 ISOTOPES, 427a, 428s, 444r, 508o, 564e; radioactive
 378i
 JAMES, WILLIAM, 409n
 JAUNDICE, 386a, 500m; catarrhal 519j; diag.
 433u, 477b, 517j; epidemiol. & statist. 566q; etiol.
 & pathogen. 386b, 489r; obstruct. 488i
 JAWS, 368i; ankylosis 549v, 551c; cancer 500v;
 cysts 398b; deform. 485e, 550q; din. 367v, 424-1,
 549w; dialoc. 423-1; fract. 423u, 424e, 486f, 551b,
 562d, 591d; physiol. 424k; roent. 476a; sarcoma
 424c; surg. 423r, 424h, 485j, 551g; tumors 424d,
 485e, 549m, 566d, 603s
 JAW-WINKING PHENOMENON, 587m
 JOINTS, 404f, 425e; dis. 445f; pathol. 525w; physiol.
 478r; surg. 503q; wds. & inj. 506i
 JURISPRUDENCE, MEDICAL, 386n, 402i, 511s;
 psychiat. in 438k
 KERATITIS, 527o, 527p, 527r; compl. & seq. 466v;
 in inf. & child. 441s; interstitial 466k, 588q;
 ther. 560r
 KERATOCONJUNCTIVITIS, 454p, 588w; etiol. &
 pathogen. 527i
 KERATOSES, 507u, 581i
 KETONES, 497n
 KIDNEYS, 413s, 413i, 490-1; abnorm. 438a, 531b;
 artif. 393d, 435u, 497f, 507i, 519i; blood supply
 384i, 516e; calculi 415w, 416a; cancer 415u, 459f,
 504i; cysts 519a, 573g; dis. 395v, 396k, 433i, 434i,
 444d, 455h, 459u, 500v, 508t, 573h, 593f, 606c; excis.
 416f; function test 374d, 407w, 442o, 514p; hemorrh.
 499q; innerv. 541i; insuff. 380g, 437e, 445c, 573d;
 necrosis 516e; pathol. 506v; physiol. 381b, 407f,
 407u, 413s, 488-1; surg. 403e; tuberculosis 387g,
 390r, 440e; tumors 416b, 458-1, 498k, 504f, 506u,
 573g, 605r
 KNEE, ankylosis 512h; innerv. 386c; surg. 439d,
 524h; tuberculosis 606g; wds. & inj. 515c
 KNIFE, 604j
 LABOR, 431o, 445r, 595a; compl. 462f, 502-1, 509v,
 559i; drugs in 431q, 495m, 539q, 569w; induction
 558j; presentation 435i, 451e, 454e
 LABORATORIES, appar. 367j, 381-1, 382p, 407h, 426n,
 473f, 484q, 548p, 548q, 600a; diag. 569n; public
 health 521b; technic 522r; technicians 573d
 LACRIMAL ORGANS, 587v; abnorm. 589g; cysts
 589i; dis. 438c; inflam. 589h; surg. 400s; tu-
 mors 589j, 589-1
 LACTATION, 502w; disorder 532w
 LANGUAGE, 465i
 LANTHANUM, 374b, 471m
 LARYNX, 590u, 590v; cancer 385b, 420i, 459c, 529f;
 dis. 581c, 591e, 591q; for. bod. 413k; paralysis
 459j; roent. 413h; strict. 590o, 590p; surg. 401r,
 529e, 590n, 590q, 591i, 591r; tuberculosis 448p,
 520p, 590t
 LEAD, 373u, 402j; tox. 378h, 559s, 595v

- LEARNING, 409a,584-1
 LEGS, deform. 523v; dis. 448c,453i; sarcoma 442m; tumors 425-1; wds. & inj. 391b,391h
 LEISHMANIASIS, 440d,567r,576e; ther. 440e,501n
 LENS, CRYSTALLINE, 421o,528d,532p,588i; abnorm. 527i; displacements 587k; physiol. 429d; surg. 589g
 LENTICULAR NUCLEUS, degen. 443n,528p; dis. 464j
 LENTIGO, 509k
 LEPROSY, 567o; epidemiol. & statist. 434r; hist. 542s; ther. 434q,434r,448o,515n,552i
 LEUKEMIA, 424-1,444e,452-1,504b,527q; aleukemic 595e; compl. & seq. 441k; exper. 394m; in inf. & child. 529w,530r,532b; lymphatic 487t; monocytic 506c; myelogenous 390c,432g,505v; roent. 530s; ther. 393b,405k,441m,506i,561a,574t,580k
 LEUKOCYTES, 377u,429j,448n,482w,558g; count 368m,561r
 LEUKORRHEA, ther. 443c
 LEVULOSE, 507q,592p
 LIBMAN-SACKS DISEASE, 501h,576g
 LIBRARIES, med. 504n,583c
 LICHEN, 467d; planus 425n,572-1
 LIGHT, 560a
 LIGHTING, 373m
 LIPIDS, 469j; metab. 427-1,433w,509w,531f,534f,541r
 LIPS, 528u; cancer 576r
 LITERATURE, 427b; med. 433r,460u,516h
 LIVER, 454n,517q,517r; abnorm. 519j; abscess 570s; acute yellow atrophy 389n,392m,437v; amebic abscess 440f,565d; biopsy 571f,592f; cancer 469b,508j,605k,607i; cirrhosis 371d,389b,436e,441a,443g,457k,458s,469n,488d,488e,489g,488w,502b,511b,517o,566k,582g; dis. 371f,390s,435p,455m,465w,470o,489n,498c,498f,510g,525-1,525p,562s,571f; extract 533-1,581o; function test 384v,387q,427f,436u,444-1,517j,580k,582f,587g; metab. 403g; pathol. 361t,364p,436u,469n,472e; physiol. 362i,427h,427s,428g,459v,585v; rupt. 571o; syphilis 592f
 LUNGS, 536w; abnorm. 544i; abscess 448d,603b; blood supply 440m,596w; cancer 392j,413a,452c,477e,508-1,571c,590a; collapse 413j,594a; cysts 476r,581p; dis. 391v,420-1,439f,445e,445h,543p,559n; edema 389-1,394r,471g,598r; infarct. 606a; pathol. 450h,545j,577r,602r,603a; physiol. 541d,579h,600h; roent. 501k; stenosis 421b; suppuration 392a,506g; surg. 498h,516a,538w,573f,603p; syphilis 370k; tumors 455p,477e,498j,520g; volume 511f; wds. & inj. 562v
 LUPUS, 425p; erythematous 439h,487j,552b,552h,565f; ther. 487q
 LYMPH, 364o,407k,530d
 LYMPH GLANDS, ther. 429-1
 LYMPH NODES, calcification 543o; dis. 448e,477a
 LYMPHANGITIS, 445h
 LYMPHATISM, 417q
 LYMPHOCYTES, count 364n,405a,500c,506j
 LYMPHOGANULOMA VENEREUM, 370g,456e; diag. 425h,426m; virus 41-1
 LYMPHOID TISSUE, 590m
 LYSOZYME, 510-1,804o
 MAGNESIUM, sulfate 598j; tox. 566g
 MALARIA, 543a,567p,569i; avian 394g,479d; diag. 584d; in inf. & child. 543b; plasmodium 413a,415g,543b; prev. & control 392q,542o,543j; spleen in 479e; ther. 414w,415a,415g,455g,478s,479e,507e,543k,543-1,567r; transm. 521m
 MALLLEOLI, tract. 524p
 MAN, 447f
 MANGANESE AND MANGANESE COMPOUNDS, 429s
 MANGE, 429n
 MARRIAGE, 432m,480u,509r; statist. 493n
 MASTOID, roent. 476a; surg. 459h,501g,594d
 MASTOIDITIS, 590-1,591j
 MATERIA MEDICA, 406e,406h,406s
 MATERNITY, 578j; morbid. & mortal. 389v,451n,508n,576v
 MATHEMATICS, 499u
 MAXILLARY SINUS, 488t; cancer 520s
 MEASLES, 530m,531-1,545q; compl. & seq. 404r 453-1; virus 594k
 MEAT, inspect. 474w
 MECKEL'S GANGLION, 528u
 MEDALS, 377k
 MEDIASTINUM, cysts 529v,594t; dis. 591q
 MEDICINE, 442v,447n,470u,475f,510u,562s,575g; hist. 388n,388p,396i,432j,442h,447v,453q,464s,516j,573e; in Aleutian Islands 448v; in China 486n; in France 503a,562p; in Gt. Brit. 518o; in Israel 574e; in Minn. 575i; in Miss. 575g; in Poland 452v; in Russia 510o; in Salvador 562p; in Scandinavia 503r,503s,503t; in U. S. 518o; in Venezuela 447t; preventive 449b,510m; publicity 569b; soc. aspects 480q,549f; state 378i,432s,434p,533c; statist. 397m
 MEDULLA OBLONGATA, pathol. 469e
 MELANIN, pigmentation 444g
 MENINGES, hemorrh. 499m,504-1,505i,532j,575m,581u,603t; tuberculous 392f,392k,403o,469i,506s,520n,566v,594b; tumors 468i
 MENINGITIS, 401-1,536u,593o; compl. & seq. 450d,532r,591v; diag. 433n; etiol. & pathogen. 441o,441v,530m,593h; influenzal 529s; otogenous 591u, pneumococcal 453m,591u,595i; staphylococcal 532j; ther. 575p
 MENINGOCOCELE, 464v
 MENINGOCOCCI, 532r; culture 418g
 MENINGOENCEPHALITIS, 391-1,442i,453-1
 MENOPAUSE, 605e; disord. 507n
 MENSTRUATION, 386q,558g; disord. 376o,476i; physiol. 468t,579m
 MENTAL DISEASES, 378u,392w,399w,584h,585v,586v; diag. 585t; etiol. & pathogen. 463v; hered. 431d; ther. 369a,399w,400u,579q
 MENTAL HYGIENE, 437p,521-1,521s,525s,586e,586-1; clinica 411b
 MENTAL TESTS, 464a,473p,473q,473r,473s,525a; appar. 390h
 MERCURY, mercuric cyanide 454s; ther. 488m,503g; tox. 392v,487v,497k,568n
 MERSALYL, 406t
 MESENTERY, abnorm. 476o; cysts 513u; dis. 477a; tumors 402n
 MESODERM AND MESODERMAL TISSUES, 556r,582n
 METABOLISM, 366s,458j,458o; determ. 437f; disord. 366s,436f,599b; in inf. & child. 421s,470a
 METALS, 484s; determ. 406e
 METATARSUS, 524e
 METEOROLOGY, 492q
 METHACRYLATES, 551d
 METHAPYRILINE, 505-1
 METHEMOGLOBINEMIA, 593k
 METHIONINE, 420c,458h,489j,548k; eff. 375n,456r,539o
 METHYLENE BLUE, 497m
 METHAZOL, 405t
 MICRO-ORGANISMS, 366u
 MICROSCOPY, 429u,491-1,555f; appar. 389e; electron 394a,429m,556n; tech. 429t,556n
 MID-WIVES, 405n
 MIGRAINE, etiol. & pathogen. 519i; in inf. & child. 404i; ther. 454b,504j
 MIKULICZ' DISEASE, 569r
 MILITARY, in inf. & child. 541f
 MILITARY AND NAVAL MEDICINE, 418d,460s,

- 460u,461e,461f,461g,465s,474i,502f,522o; admin. & org. 461b,522d; dent. 370b; hist. 397u,446d; in Sweden 474i; in Switz. 471i; neuropsych. 399v, 464-l; personnel 461e,461d; training 460t,461e, 461g; wds. & inj. 524n
- MILK**, 421w; bact. 418q; composition 502w; human 441t,502w; hyg. 536b
- MIND**, 499o,508h; body & mind 379k,527b
- MINERALS**, metab. 368j
- MINES AND MINERS**, 446-l
- MIRRORS**, 505-l
- MITES**, 479o,481u,555-l
- MITRAL VALVE**, insuff. 532t; strict. 395u
- MOLECULES**, 491o
- MONILIASIS**, 426j,440a,494m,494n
- MONONUCLEOSIS**, 488i; infectious 402p,443v, 523e,560s,593b
- MONSTERS**, 377f,531b
- MORALS**, 526p
- MORPHINE**, addict. 585v; eff. 495m; tox. 393j
- MOSQUITOES**, 415b,415c,479-l,542r,543m; eradication 492a
- MOTHS**, 556a
- MOTION SICKNESS**, 508p,533h
- MOUTH**, 486b,551e; abnorm. 367p; bact. 368w, 369g; cancer 550v; dis. 368g,423s,440a,550c, 551f,551k; hyg. 565s; pathol. 366a,430f; physiol. 380p,404h,407p,408g,408q,430h,464i,472i,472j, 554v,597v; rectus abdominis 396r; scalenus 462r; ther. 458g; transpl. 591b
- MUSIC**, 600w
- MYANESIN**, 362e; prep. 597u
- MYASTHENIA**, 468i; gravis 380v,385d,594m
- MYATONIA**, congenita 399m,470i,533a
- MYCETOMA**, 538h
- MYCOSIS**, 404b,494o; cutaneous 370v,568b; fungoides 426p,568f
- MYELITIS**, 380c
- MYELOSIS**, 432e
- MYOCARDITIS**, 532q; exper. 403c; in inf. & child. 483q
- MYOPIA**, 401a
- MYTHOLOGY**, 502q
- MYXEDEMA**, 509f,518r
- NAILS**, dis. 523d,538i,572j; mycosis 426j; tumors 463e
- NAPHTHALENE**, 555o
- NAPHTHOQUINONES**, 472i
- NARCOTICS**, 392d,477i
- NASOPHARYNX**, dis. 412i,575o,590w; for. body 380b
- NECK**, dis. 369j,551n
- NEEDLES**, 563m
- NEGROES**, 481i; dis. 511h
- NEMATODES**, 415d,417e,418v,479n,481-l,481q,481v, 493s,493t
- NEOMYCIN**, 544a
- NEOSTIGMINE**, eff. 427j; ther. 578c
- NEPHRITIS**, 390g,391p,434i,531b,573g; etiol. & pathogen. 508u; glomerular 435n,436-l,451h,574n, 579c; in inf. & child. 529p; ther. 488s
- NERVES**, acoustic 590g; blocking 494p,512t; chorda tympani 528w; degen. & regen. 399n; dis. 445f; intercostal 476f; mandibular 476k; motor 526d; optic 468m,528h; peripheral 505h,506k,507w, 516m; phrenic 448i; roots 451q; sensory 473i; thoracic cardiac 382c; tympanic 528w; vagus 390v,427n,429g,598t,607i; vestibular 401o; wds. & inj. 399n
- NERVOUS SYSTEM**, anat. & histol. 399m; dis. 468h, 470k,470-l,492n,505r,525h,528-l,529n,561g,571m; eff. of drugs on 371s,399g,584h; pathol. 525m, 578c; physiol. 362b,408q,473i,483w,534j,554s, 588e,599m; surg. 450-l,476i,539s
- NERVOUS SYSTEM, AUTONOMIC**, 526k
- NERVOUS SYSTEM, SYMPATHETIC**, blocking 398b, 446s,461p,508-l; eff. of drugs on 540h,570f; physiol. 514r,528u; surg. 503d
- NEURALGIA**, 461b; brachial 502o; cervical 502o; etiol. & pathogen. 583r,590r; facial 551q; intercostal 464o; trigeminal 526g
- NEURASTHENIA AND PSYCHASTHENIA**, 388u
- NEURITIS**, multiple 404e,511-l; optic 380c,400v, 459f,468e,527t
- NEURODERMATITIS**, 501t
- NEUROFIBROMATOSIS**, 455-l,512r,528h
- NEUROGLIA**, 592c,592d
- NEUROLOGY**, 446p
- NEURONS**, 429e,546t; blood supply 473j; dis. 399c; exam. 396o,429t
- NEUROPSYCHIATRY**, 585p,586g
- NEUROSES AND PSYCHONEUROSES**, 377o,442c, 524v,526c,573r,581c,584s,585b,585j; etiol. & pathogen. 489i; ther. 541h,562k
- NEUROSYPHILIS**, diag. 581k,585i; ther. 446n,487p, 608t
- NEUTRONS**, 491h
- NEVI**, 425d,425-l,576r,589i
- NEWSPAPERS**, 493f,509n
- NICOTINE**, eff. 409c; tox. 533t
- NICOTINIC ACID**, 487k; determ. 366k; eff. 542a, 579a; metab. 366b,421u,440f,548n
- NIPPLE**, abnorm. 375u
- NITRITES AND NITRITE DERIVATIVES**, amyl nitrite 397e
- NITRO COMPOUNDS**, tox. 564t
- NITROGEN**, 484f,484g; determ. 384u,484r
- NOISE**, 512b
- NOMENCLATURE**, 431n,451e,460h,536o
- NOSE**, 402e,466m,528u,530d; deform. 590p; mucosa 529f,590n,600c; septum 402d; surg. 402d,466n, 515-l,527k,590d; tuberculosis 512r,590c; tumors 590j,590s; turbinates 590j
- NOSTRUMS**, 508f
- NUCLEINS**, 401n,428g,428w,492u
- NUCLEOPROTEINS**, 401o
- NURSES AND NURSING**, 400e,400f,480n,522r,594u, 601e; educ. 432r,558v; public health 474v
- NUTRITION**, 888h,400m,435v,445w,465u,474d,492-l, 498v,499a,499b,499c,531i,535n,545n,569h,585v, 598i; disord. 498v
- NYSTAGMUS**, 466r,527k
- OBESITY**, 388d,575w; ther. 438k,455v
- OBSTETRICS**, 376j,389t,405n,431n,445w,462a,477k, 495h,507v,511g,513e,515o,565k; hist. 608a
- OCCUPATIONAL THERAPY**, 414-l,414m,477w,478b; for mental & nervous patients 414n
- OGILVIE'S SYNDROME**, 499w
- OIL**, 545h,555e
- OINTMENTS**, 471q
- OLD AGE**, 398u,410o,454s,456k,459q,482v,514r, 557s,557t,557w,584i; dis. 389p,438n,502u; pathol. 433q,464k,498a,586q; surg. 417n
- OMENTUM**, 513s; infarct. 513h,538q; torsion 449o
- ONCHOCERCIASIS**, 536g
- OPHTHALMIA**, sympathetic 588t
- OPHTHALMOLOGY**, 492r,516p; appar. 401d,401f, 401h,528a
- OPIUM**, 435d
- OPTICS**, 491q,492w
- OPTOMETRY**, 528o
- ORBIT**, dis. 527q; surg. 527g,527n; tumors 527e,

- 589i; varix 589k
 ORTHOPEDICS, 501q; appar. 524r
 ORTHOPTICS, 463b,588v
 OSSIFICATION, 364e
 OSTETIS, fibrosa 579b
 OSTEOARTHRITIS, 424-l; ther. 510c
 OSTEOARTHROPATHY, 404n; hypertrophic pulmo-
 nary 463n
 OSTEOCHRONDRITIS, 462i; deformans juvenilis
 524j,524s
 OSTEOMYELITIS, compl. & seq. 591v; etiol. & patho-
 gen. 540j; ther. 391i,398n,509u
 OSTEOPTHY, 462a,462b
 OSTEOSCLEROSIS, 512q,530h
 OTITIS, in inf. & child. 591i
 OTITIS MEDIA, 591c; compl. & seq. 459h; ther.
 303a,470r,596j
 OTOTOLOGY, 401-l,460j
 OTORHINOLARYNGOLOGY, 513k,528v; ther. in
 445u,590e
 OTOSCLEROSIS, 402a; ther. 457h,579j,591k
 OVARY, abnorm. 470g,577n; cysts 450w,558j,580w;
 dis. 558k; fibroma 377e; hormones 427i,428b,
 494-l; insuff. 554g; pathol. 482-l; physiol. 382g,
 582j; transp. 393s; tumors 372f,403e,446d,449p,
 469d,517u,532-l,554h,576m
 OVULATION, 490n
 OVUM, 376f,490r
 OXIDASE AND PEROXIDASE, 421t
 OXIDATION-REDUCTION, 482s
 OXYGEN, 451t; consumption 429k,458j,472m,473h,
 483h; defic. 362b,403h,403n,407p,462m,488-l,529n,
 565r; determ. 484m,537e; ther. 510h
 OXYURIASIS, 379w; diag. 479m; in inf. & child. 470g;
 ther. 522a,542d
 PAIN, 396h,408m; referred 558-l; ther. 461n,
 476f,576w
 PALATE, 550w,591u; cleft. 474m; dis. 590w; tu-
 mors 443v; ulcers 591f
 PAMAQUINE, tox. 478r
 PANCREAS, calculi 443-l; cancer 449b,461-l,570d;
 dis. 450d,520s,594n,606e; excision 445w; pathol.
 414v,456i; physiol. 489m,594i,594q; secretion
 455o,532i,607j; surg. 390k,575r; tumors 390w,
 445k,476n,517-l,547p
 PANCREATIC DUCTS, 573m,607b
 PANCREATITIS, 384q,445a,498e,517m,529r;
 compl. 509w; etiol. & pathogen. 607u; ther. 539f,
 570m,574m
 PARABIOSIS, 427u
 PARALYSIS, 562g; abducens 529a; brachial 495q;
 cerebral 414k,532p,549r,570i; facial 477p,511-l,
 591b; radial 462n; spastic 392b; spinal 524f;
 ulnar 525v
 PARALYSIS, GENERAL, 451w,586p
 PARAMYOCLONUS, multiplex 516w
 PARAPSORIASIS, 425i
 PARASITES, 461r,481m,482a,493q,500h,509f,541e,
 542t,556a,573k,583b; in animals 555w
 PARASITOLOGY, 438u
 PARATHYROID, 564a; cancer 582t; dis. 508i,514u
 tumors 445k
 PARATHYROIDECTOMY, 428a
 PARENTS, 404i,480v,586j
 PARIETAL BONE, 537o
 PARKINSONISM, 385i,434f,445j
 PAROTID GLAND, tumors 454p,468w,469p,529e,
 607q
 PAROTITIS, 560i; diag. 436e,559d; ther. 508t
 PARPANT, ther. 397f,397g,397h,397i
 PATELLA, dis. 579b
 PATHOLOGY, 376c,385p,541f,575g
 PATIENTS, 461f,573e
 PATULIN, 429c
 PECTIN, 366f
 PEDIATRICS, 404i,438f,447d,506w,532n,574e,594p;
 in France 392p; progr. 513a,595n
 PEDICULL, 543c
 PELLAGRA, 568p
 PELVIS, abnorm. 538i; blood supply 390n; dis.
 495o,560r,593d; measurement 475t,495o,539n;
 roent. 431i; tumors 495u
 PEMPHIGUS, 426r; etiol. & pathogen. 552m;
 vegetans 572f
 PENICILLIN, 517k,532f,551k,560c,591p,594-l;
 admin. & dos. 404g,458w,477f,499o,505h,509c,
 509d,515q,552o,561f,597t; eff. 368t,368v,458h,
 552-l,574w,598b; in dent. 379u; ther. 395r,426d,
 434e,452s,453e,456m,456n,457k,460j,460m,469u,
 501h,503a,515o,520h,527m,541c,561f,565s,572f,
 573u,574t,576k,577b,589h,591c,594d,594p,595n;
 venereal dis. ther. 568i,576f,577p
 PENIS, cancer 370c; dis. 370p,509a
 PEPTIC ULCER, 371r,390w,395q,420k,442w,453o,
 489h,489o,489r,489v,490a,504k,506o,515q,521o,
 553c,553g,553i,553p,553r,560v,572w,581v,604-l;
 cancer & peptic ulcer 441-l; compl. & seq. 371p;
 diag. 412f,412g,412h; exam. 412h; exper. 395h;
 hemorrh. 476s,500d,522-l; in inf. & child. 592o;
 pain 371c; perf. 504c,513s,538u,604o; roent.
 390u; surg. ther. 371j,371k,371m,371n,371q,383s;
 385c,385w,390u,397q,413q,436o,443b,457d,457s,
 460f,520e,538t,541u,565i,605b,605e; ther. 371o,
 371q,379o,388t,396c,437p,459d,503n,520e,561j,
 570e,574u
 PEPTIDES, 548c
 PERCEPTION, 526m; disord. 586o,600u,605s
 PERCUSSION, abdominal 443h
 PERIARTERITIS, nodosa 521-l,575e
 PERICARDITIS, 530g,561t,561u,563k; adhesive
 603-l,607g
 PERICARDIUM, 413d,516u
 PERINEPHRITIS, 390m,531t
 PERINEUM, lacerations 462e
 PERIODICALS, 518d
 PERIODONTITIS, 423g,424p
 PERIODONTIUM, dis. 550i,550j,550s
 PERIOSTEUM, 374d; pathol. 542n; surg. 463n
 PERITONEUM, 395c,512r; echinococcosis 558n;
 tumors 501c,540-l
 PERITONITIS, 440g; compl. & seq. 553h,570s;
 etiol. & pathogen. 603m; in inf. & child. 470m;
 ther. 476e
 PERSONALITY, 410f,524w,526r; dissociated 526p;
 tests 409o,473m,586a,586b
 PETROLATUM, 405u
 PHAGOCYTES AND PHAGOCYTOSIS, 363k,441b,59-
 592e
 PHARMACOLOGY, 447n; chem. 406u; hist. 509q
 PHARMACOPEIA, Danish 509p,509q; German 598j
 PHARMACY, 472r; hist. 471w,533q; in Switz. 472u
 teaching 471r
 PHARYNX, abscess 591g; dis. 591c
 PHENANTHRENE DERIVATIVES, 548i
 PHENOLPHTHALEIN AND PHENOLPHTHALEIN
 DERIVATIVES, 501w; bromsulphalein 403a,403b,
 427k,545e
 PHENOLS, 367i,380b,421m,548w,597c; eff. 378n
 PHENYL COMPOUNDS, eff. 567h
 PHENYLMETHANE, 597r
 PHENYLPROPYLAMINES, eff. 596-l
 PHENYLSULFONES, 393f
 PHLEBITIS, 579t; compl. & seq. 453s,605f; postop.
 605g; prev. 521h; ther. 521h,605t,606a
 PHLEGMASIA ALBA DOLENS, 539v
 PHOBIAS, 585c
 PHOSPHATASE, 381a,421i,421k,421-l,464k,472c,
 556e
 PHOSPHORUS AND PHOSPHORUS COMPOUNDS,

- 366w,442m,471b,596n; determ. 381f; metab. 365s,421w; tox. 592g,598k
- PHOTOGRAPHY, 481g,491k,491m,491n,516p
- PHYSICAL EFFICIENCY, 418a,557a,557b
- PHYSICAL EXAMINATION, 385s,497e,544o,596c
- PHYSICAL MEDICINE, 414p,414q,446h,474-1,478e, 499g,516k,520g,540p,576c
- PHYSICIANS, 453e,461d,499f,503a,570u; in France 439b; relation to patient 411e,447c; women 509o
- PHYSICS, 483u,483v,484a,554q
- PHYSGOSTIGMINE, 460p; ther. 578c
- PIGMENTATION, 482n,492b; cutaneous 599p
- PILONIDAL SINUS, 593j
- PINE, 555q
- PINEAL GLAND, prep. 389o
- PIPERAZINES, 482m,498f
- PITUITARY BODY, 498a; dis. 435p,579c,601v; ex-cis. 428h,490t; irradiation 412j; physiol. 407f, 428g,490h,598v; secretion 422p; surg. 387f; transpl. 577u; tumors 526c,527r
- PITUITARY PREPARATIONS, 597j; eff. 386d,407o, 408d,490i,490u,554e; prep. 422o; standard. 406c; ther. 526u; tox. 451r,554k
- PITYRIASIS, rosea 487f
- PLACENTA, adherent 574c; anat. & histol. 376q; praevia 376c; premature separation 405m; prep. 467k; retained 450p; roent. 376c; ther. 462k
- PLAGUE, 440b; epidemiol. & statist. 440i; hist. 510k; transm. 479h
- PLANTS, 372r,419j,430p,471s,534f,548f,555k; growth & develop. 482s; med. 430v,432n,458q, 472q,491s; physiol. 373g,373k,374k,421e,493e
- PLEURA, tuberculosis 480m; tumors 602s
- PLUTONIUM, 469-1
- PNEUMOCOCCI, 441b; antigens & antibodies 534u; infect. 595i
- PNEUMOCOCCUS, 379a,413g,442-1,450c,564o,565s diag. 559p; etiol. & pathogen. 378-1,559q; ther. 505m,602v
- PNEUMONIA, 402o,413i,41b-1,503d,510q,512o,520a, 561r,595q; compl. & seq. 603f; epidemiol. & statist. 567i; etiol. & pathogen. 378j,529o; in inf. & child. 470i; interstitial 403f; ther. 579i
- PNEUMOPERTONEUM, 448j,503m; artif. 580f
- PNEUMOTHORAX, 413f,415m,452o,520o,562v; artif. 480a; etiol. & pathogen. 602w
- PODOPHYLLIN, 382q,425c,429j,455-1
- POIKILODERMA, 425n,466p
- POISONS AND POISONING, 447d,594i; ther. 522p
- POLIOMYELITIS, 365-1,386k,414p,434a,478a,529-1; blood in 577a; compl. & seq. 367m,431s,474-1, 478e,523v; diag. 380q,434h,569k; epidemiol. & statist. 441g,458b,474q,479j,540t,574b; exper. 393v; immun. 458b,559g; pathol. 462-1,462m, 469e; prev. & control 514v; ther. 458c,463a,470p, 519n,566j,575c,605n; virus 418p
- POLITICS, 472u,465i
- POLLEN, 361i,555r
- POLYCYTHEMIA, 432f,489a,578n
- POLYMYXIN, 378c,384f,593a
- POPULATION, 432m,494c,500j,508f,536n
- PORPHYRIN AND PORPHYRIN COMPOUNDS, 367a; metab. 425e,447h,488r
- PORTAL VEIN, 366g,366h; blood pressure in 395w, 516n,540f; surg. 540f
- POSTURE, 414q,461v,540r
- POTASSIUM, 565s; determ. 366b; eff. 437d,597v; metab. 394f
- POWDERS, 405v
- PREGNANCY, 403v,448w,494f,495b,502b,504k; ab-norm. 529u; blood in 407j,558p,560o; compl. 372h,388j,390d,390e,392m,416h,431s,447a,451i, 451j,452-1,454c,460g,507f,513q,558c,577w,606q; diag. 426v,444j,494s,504i,507c,564i,571u; diet in 465r,489k,500n; ectopic 377h,383u,397k,438m, 440m,449t,499w,513q,577w,605j; heart in 431p, 431s,460c,483p,495p; kidneys in 554f; metab. in 407m,407n; multiple 376n,564h; physiol. 385h, 386d,488t; roent. 475t; surg. in 608a; teeth in 489k; thyroid in 502e,516c; toxemia 530d,558i, 562o,607t; urine in 380-1,380n,428f,490g,490p, 495c,507r,608f; vomiting in 462b,495k
- PREJUDICE, 556k
- PRESBYOPIA, 467f
- PRESCRIPTIONS AND PRESCRIBING, 533e
- PRESSURE, 366q
- PRIODAX, 538g
- PROCAINE AND PROCAINE COMPOUNDS, 530s; admin. & dos. 499o; determ. 384m; eff. 458n; tox. 426o
- PROCTOLOGY, 372b,606r,607r
- PROFESSIONS, 433q,474-1
- PROGUANIL, 386w,406q
- PROHIBITION, 554w
- PROPANE, 604g
- PROPANOLAMINES, 583f
- PROPYL FLUOROPHOSPHATE, 406g
- PROSTATE, cancer 391e,397o,416h,506h,579r,603q; surg. 392-1,439n,442r,455n; tumors 547p
- PROSTATECTOMY, 498m,568-1; retropublic 442v; technic 391f,577u,603n
- PROSTITUTION, 388s,389g,416u,416v,416w,447i, 480r
- PROTEINS, 373i,419t,421v,424h,492a,547w,548f, 578b; Bence Jones' 548k; eff. 437e; in diet 488u, 507d,535n,554b; metab. 462i,472f; ther. 437g, 452f
- PROTOPLASM, 482o
- PROTOZOA, 419w,493s,493u; chem. 534k
- PRURITUS, etiol. & pathogen. 426g
- PSEUDARTHROSIS, 539k; ther. 462o,462p
- PSEUDOPARALYSIS, syphilitic 441s
- PSITTACOSIS, immun. 496s
- PSORIASIS, 388m,425g; ther. 425t,568o
- PSYCHIATRY, 399r,399s,465g,522j,522u,526b,526j, 526m,584j,584m,585r; hist. 445i; teaching 465g
- PSYCHOANALYSIS, 399d,438k,465g,465h,526q,585i, 586c
- PSYCHOLOGY, 409i,409k,410d,410e,410f,465b,465c, 465j,525i,534w,535s,535b,535c,535d,535f,535g, 535h,535i,600-1,600n,600t; clinical 399q,430v; comparative 409r,409t,409u,409w,410a; indust. 473-1; soc. 465f; teaching 409-1,584-1
- PSYCHOSOMATIC MEDICINE, 385n,399j,425g,426q, 436j,438i,438u,442c,444v,445f,461v,469s,489v, 498f,501-1,519r,526o,528n,541t,573b,585f,594f
- PSYCHOTHERAPY, 385m,409-1,410c,410g,410h,501t, 522t,524v,524w,527a,554o,584k,585n,586a,586h
- PTERYGIUM, ther. 527f
- PUBERTY, 426q; precocious 512c
- PUBLIC HEALTH, 474n,536j,583v; admin. & org. 438o; centers 573p; cooperation 570n; in France 474o; in Tenn. 555d; in U.S.S.R. 392o,392q; offi-cers 446g
- PUPERAL INFECTION, 560r
- PUPERIUM, 443c; compl. 578a
- PULMONARY VALVE, insuff. 415q; strict. 509k
- PULSATILLA, 374k
- PULSE, 516b; rate 503i,528-1
- PUPILS, dilat. & contract. 527u
- PURPURA, 441p; compl. & seq. 594r; etiol. & patho-gen. 572b,572h; haemorrhagica 384g,445d,459f, 544r,560u,561s; Schönlein-Henoch 570p
- PYELOGRAPHY, 602e
- PYELONEPHRITIS, 387n
- PYLORUS, 553h; hypertrophy & stenosis 523f,553k, 553q,594e

PYODERMA, 425g
 PYORRHEA ALVEOLARIS, 389s,550r; etiol. & patho-
 gen. 397i
 PYRETHRUM, 419d,419f
 PYRIBENZAMINE, eff. 598g; ther. 361g
 PYRIDOXINE, 393v,465u; ther. 405g
 PYRIMIDINE, 491s
 PYRROLES, 541w
 QUINIDINE, 449k
 QUININE, 471c; eff. 443p,594f
 QUINOLINE AND QUINOLINE DERIVATIVES, ther.
 561d
 QUINONE, eff. 429a
 RABIES, 535q,571h; diag. 447j; immun. & vaccine
 ther. 383e,511-l,521p; prev. & control 411b
 RACE, 494c
 RADIATIONS, eff. 368m,375-l,412i,412n,412q,437j,
 483a,493a,524p,528d,534f,534g,534p,537p,564f,
 576i
 RADIOACTIVITY, 367g,375n,422g,427a,430n,430s,
 475p,482j,485a,488m,495g,538m,541-l,541m,542j,
 542k,563s,566a,575u,597q; inj. eff. 378s
 RADIOLOGY, 602d
 RADIO THERAPY, 395o,453t,477m,519w,537n,568t
 RADIUM, 412o,512k; ther. 498k,579r
 RADIUS, fract. 511a
 RADON, 416-l
 RAGWEED, 575-l
 RAT-BITE FEVER, 444o
 RATS, 364a; extern. 372p
 READING, 467o,600k
 RECORDS, med. 461g
 RECRUITS, 369o,398g,544o
 RECTUM, anat. & histol. 607o; cancer 372a,386i,
 507s,514e,516t,521o,539i,539j,605c,606h,606o,
 607c; dis. 371u,433i,460c,552t; exam. 552w; for.
 body 606p; surg. 477c,553o,574b; tumor 390k,
 552v,553e
 RED CROSS, 452b
 REFLEX, conditioned 498n,600a; psychogalvanic
 600n; pupillary 527u; sympathetic 476-l
 REFRIGERATION, 438o
 REFUSE, 411o
 REHABILITATION, 378u,473w
 REITER'S DISEASE, 466k,578k
 RELAPSING FEVER, 383-l,403j,433j
 RELIGION, 569o
 RESEARCH, 373o; chem. 492i; med. 489f
 RESINS, 421i,547u; acrylic 551c; in dent. 367w
 RESPIRATION, 473f,508o,558t; artif. 400g,429n; dis-
 ord. 408n; physiol. 362w,373k,381-l,408i,408m,
 428s,429g,489p,534n,534s,598s
 RESPIRATORY TRACT, 384v,590a; blood supply
 470g; dis. 378r,380k,405e,434e,435g,446b,575d;
 infect. 470g; obstruct. 470g
 RESUSCITATION, 503t
 RETICULOENDOTHELIAL SYSTEM, dis. 439d,439f
 RETINA, 588s; abnorm. 527n; blood supply 391o,
 443q,467h,573h,589d; detached 467g,520w,527t,
 589c; dis. 400t,467g; physiol. 473d; tumors 589m
 RETINITIS, pigmentosa 381v,467k,508d
 RETINOCHOROIDITIS, 527p,588k
 Rh FACTOR, 387q,387s,390a,402k,403r,426v,445o,
 445p,450j,453-l,456i,458e,496w,505w,511g,556v,
 563i
 RHEUMATIC FEVER, 437-l,438h,443u,505q,577e;
 cardiac compl. 437m,563k; diag. 470-l; etiol. &
 pathogen. 552b; ther. 460n
 RHEUMATISM, 395n,398u,433i,447o,456e,506j,510b,
 510d,540w,541a,570c,578g; blood in 489e; compl.
 & seq. 541b; in inf. & child. 438e; palindromic
 502p; ther. 383a,398u,398v,503v,510e,541b,541c,
 542e,563o,567i
 RHINITIS, 508n

RHINOLOGY, 478j
 RHINOPHYMA, 451q
 RHINOSCLEROMA, 388q
 RIBOFLAVIN, 400-l,555p,587c; determ. 366j
 RIBS, abnorm. 476u; dis. 524p; fract. 524p,531r
 RICE, 433n
 RICKETS, 593m; etiol. & pathogen. 466d
 RICKETTSIA, 559k
 RICKETTSIAL DISEASES, 456g,479i,506k
 RINGWORM, 382q,389g,395-l,514o; etiol. & patho-
 gen. 370t; ther. 379r
 ROCKY MOUNTAIN SPOTTED FEVER, 383k
 RODENTS, 583-l
 ROENTGEN RAYS, 475u; appar. 475q,485g,537a;
 diag. 412f,475i; eff. 602k; films 476a; fluorosco-
 py 412g,518v; inj. eff. 489d,564r; physics 602i;
 protection against 475v,576i; stereoscopy 523-l;
 technic 475w,537h
 ROENTGENOGRAMS, 412m,520d,537-l
 ROENTGENOLOGY, 391r,412g,447o,456d,491h,583s;
 in inf. & child. 537u
 ROENTGENOTHERAPY, 441d,495f,602d
 ROSEOLA, infantum 569b
 RUBELLA, 463j,474g,558c
 RUMINATION, 489v
 SACCHARIDES, 559c
 SALAMANDERS, 374-l
 SALICYL COMPOUNDS, 471q; p-aminosalicylic
 acid 448m,448n,480e,567a,567b,567c,567i; eff.
 361h; salazopyrin 444w; sodium salicylate 447p;
 tox. 470p
 SALIVA, 485b,549n
 SALIVARY GLANDS, calculi 424n; dis. 466m,528m;
 roent. 566k
 SALMONELLA, infect. 479g,511k,540j; pullorum
 454m; types 418o,601o
 SALTS, 373s,405q
 SARCOIDOSIS, 415p,538c,562b; diag. 528e; ther.
 603p
 SARCOMA, angiosarcoma 424c; exper. 367h,547-l;
 fibrosarcoma 449c,477e,566d,575f; Kaposi's
 425j,425k; liposarcoma 501c; lymphosarcoma
 364o,368m,384a,582a; melanosarcoma 489n;
 osteosarcoma 537j; reticulosarcoma 442m
 SCABIES, ther. 434t
 SCALP, 601i; dis. 370p
 SCAPHOID BONE, CARPAL, fract. 462q,511a,537k
 SCAPULA, fract. 524q
 SCARLET FEVER, 535w,594q; compl. & seq. 531s;
 ther. 594h
 SCHISTOSOMA, 481s,481t
 SCHISTOSOMIASIS, 481p,558e,567p; epidemiol. &
 statist. 581j; immun. 496r; prev. 543f; ther.
 479n
 SCHIZOPHRENIA, 415n,450d,458t,492o,526a,528f,
 585b,600r; diag. 560q,586r; ther. 526u,585a,
 585g,586v
 SCHOOLS, 535r,584-l; diet in 400m; med. serv.
 531h
 SCHOOLS, MEDICAL, 392h,580v,583c
 SCHULLER-CRISTIAN SYNDROME, 402f
 SCIATICA, 582u; ther. 399f,463h
 SCIENCE, 374i,375k,427b,430m,472v,491c,492g
 SCLERA, 587n
 SCLERODERMA, 425o,531s; in inf. 594c
 SCLEROMA, 370n
 SCLEROSIS, multiple 398d
 SCOLIA, 541v,582f
 SCOPOLAMINE, 392c
 SCOTOMA, 527r
 SCROTUM, tumors 476p
 SCURVY, 427s
 SEA URCHIN, 482f,546q
 SEASONS, 467m,541f

- SEBACEOUS GLANDS, 361s,468w; cysts 425p, 589k; tumors 589j
- SEBORRHEA, 456g,580p
- SEEDS, 421e
- SEMEN, 429c,457m
- SEMILUNAR CARTILAGES, 524o
- SEMINAL VESICLES, tuberculosis 501d
- SENECIO, tox. 491w
- SENSATION, 399e,526m
- SEPTICEMIA, 604s
- SERODIAGNOSIS, 395r,416q
- SEROTHERAPY AND HEMOTHERAPY, 568t; autogenous 568h
- SERUM, 361h,380s,395a,458n,470o,486t; eff. 458j; immune 458o
- SEWAGE, disposal & purification 411m,411n,411o, 411p,411q,411r,411t,412c,475c,601r
- SEX, 480t,585m; determ. 375t; educ. 480u,480v; perversion 460o,525t,584s; ratio 481d
- SEXUAL CYCLE, 361q
- SHOCK, 414e; obstetric 595a; surgical 384i,453i, 539d; therapeutic 409v,579q,584p,584v,585d, 585p,585w,586v,600p
- SHOULDER, 582o; dis. 477n,510d; disloc. 391g, 435h,462t; pain 398t,513n; pathol. 518t; wds. & inj. 502g
- SIDEROSES, 566w
- SIGMOID, cancer 523a,605c,608o; diverticula 504e; exam. 552w,569n; obstruct. 477t; surg. 477c
- SILICON COMPOUNDS, 402v,484q
- SILK, 430n
- SILVER, tox. 402q,451r
- SINUSES, NASAL, cancer 590b; dis. 529g,579j, inflamm. 582e,590-l
- SIJOGEN SYNDROME, 537q
- SKIN, 425r,455-l,598o; abnorm. 425e; atrophy 488a,552n; blood supply 487p; cancer 449v,461s, 576r; dis. 370r,379s,383p,425e,425n,425r,426a, 426k,426n,434f,439s,440k,448a,451b,471v,486v, 487b,487e,487g,487v,501t,502f,523o,551u,551v, 561k,562t,583-l; innerv. 605o; radiother. 370v; reactions 454s,559p; temp. 542i; transpl. 441m, 508k,512i,604f,604h,604j; tuberculosis 425r,487r, 504v,507t,581h,587d; tumors 370j,425e,470c, 547o; wds. & inj. 426h
- SLEEP, 433s,535v,594q; disord. 423q
- SMALLPOX, 601k; epidemiol. & statist. 439r,439u, 447u,493o; hist. 439t; vaccination 439s,512e, 514a; virus 415e
- SMELL, 374n
- SNAILS, 556d
- SNAKES, 579t; bites 459b
- SOAPS, 551w,598o
- SOCIAL SECURITY, 446-l,582s
- SOCIAL SERVICE, 493j,493k; psychiatric 387r, 586h
- SOCIETIES, MEDICAL, 447m
- SOCIOLOGY, 491c,491d,491e,491f,493i
- SODIUM, acetate 394v; aminophosphate 565s; chloride 537c; dehydrocholate 533m; eff. 437d; sulfate 374b
- SOUNDS, 387g,425v,444s,464f,600v
- SOYBEANS, 375m,416q
- SPACE, perception 589e
- SPASM, 472h,589s; ther. 595m
- SPECIALISM, 387j
- SPECIFIC GRAVITY, 471q,484i
- SPECIMENS, 485t
- SPECTRUM ANALYSIS, 421u,422t,422u,423b
- SPEECH, 493b; defects 574j
- SPERMATIC CORD, torsion 568i
- SPERMATOZOA, 429c,457m; develop. 428w
- SPHENOID SINUS, inflamm. 573-l
- SPHINCTER MUSCLES, anal 477c
- SPINA BIFIDA, 361p,385q,453n
- SPINAL CORD, compression 475j; dis. 399e,528p; embryol. 419r; hemorrh. 563p; pathol. 462-l, 462m; physiol. 408k; tumors 537r; wds. & inj. 399i,453v,505k,559t,575s
- SPINE, abnorm. 398m; abscess 513r; ankylosis 524t,541o; arthritis 387b,463f,463h,463k,574i; blood supply 524d; curvature 462v,524b; deform. 524c; dis. 499g,576p; disloc. 512t,562k,606u; fract. 524t,572g; intervertebral disks 379p,453t, 463-l,463o,475j,497g,506g,518-l,518m,524f,524k, 575h,578e,582u; pain 515b; surg. 466d,520j,603o; tuberculosis 605a
- SPIROCHAETA PALLIDA, 507r,608o,608q
- SPIROCHETOSIS, 445r,447k; icterohemorrhagic 553a; meningeal 444c
- SPLEEN, abscess 543g,570c; cancer 449b; cysts 506d; dis. 384h; physiol. 409c; rupt. 395v,580s; surg. 390s; tuberculosis 544r; tumors 468v
- SPLENECTOMY, 460i; results 386b
- SPLENOMEGALY, compl. & seq. 396e
- SPONGE, 463r
- SPRUE, 488g; ther. 576g
- SPUTUM, exam. 402u,420i,511w,512a
- STAINS AND STAINING, 479q; methods 396o,429t
- STAPHYLOCOCCI, aureus 560-l,574w; infect. 572j
- STARCH, 365v,463r,530b
- STARVATION, 361t; metab. in 366a
- STATISTICS, 419-l,419n,419o,433r,545r,545s,545t, 545u,545v,545w,546a,546b,546c,546d,546e,546f, 546g; med. 496j,573h
- STERILITY, 373c,431k,435k,438r,449s,456s,573h; etiol. 431h,445i; ther. 376v
- STERILIZATION, 587q; sexual 569h,582a
- STEROIDS, 389c,568j,599a
- STILLBIRTHS, 481d
- STOMACH, 371e; acidity 540j; anat. & histol. 427g; cancer 386j,396f,420g,420-l,427n,455j,477s,489j, 489p,553-l,554a,575i,575t,577j; cardiospasm 447h,508v,561r,574n; dilat. & distent. 489m; dis. 414d,489r,552u; exam. 412h,427i; for. body 553w; function tests 498r; hemorrh. 453b; innerv. 429f,437b,473f,490a; motility 404c,453o, 561p; mucosa 427g,475k,512p; pain 473j; perf. 427e,427i,445b,531n; physiol. 407-l; prolapse 382v; roent. 443o,475k,489g,502u,517m,519u, 602c; secretion 366g,427g,437b,489u,490a, 556m,561q,594i; surg. 413n,413o,413p,420g,456h, 460i,553c,576c,606f,607w; tumors 517b,539b, 540j; volvulus 371g
- STOMATITE, 551j; aphthous 487m; gangrenous 551k
- STOMATOLOGY, 453g,485v,561e
- STRABISMUS, ther. 446v,460b
- STREPTOCOCCI, hemolytic 391m,513b; immun. 361f; infect. 458d
- STREPTOMYCIN, 380a,387v,387w,434t,561-l, 563c,572o,580-l,590u,608h; admin. & dos. 498e; eff. 370t,392t,392k,458m,543v,552-l,560f,567h, 606j; ther. 401-l,411i,412u,425w,433p,440c,441o, 441v,445g,448k,448r,470f,486w,501i,503g,503q, 504v,506s,507a,508b,508c,511h,520p,520t, 543r,560g,560h,563s,566c,566u,578s,587r,590w, 606-l,606m; tox. 426g,448a,498-l,500m,510w, 514b,518c,543s,590g; tuberculosis ther. 573s, 578e,590c
- STREPTOTHRICIN, eff. 560f
- STRONGYLOIDOSIS, 444e
- STRONTIUM, 422g
- STROPHANTHUS AND STROPHANTHUS PREPARATIONS, 406-l,472e
- STRYCHNINE, ther. 443i,515r
- STUDY, 509n
- SUBMAXILLARY GLANDS, calculi 486g; tumors

- 443w
 SUCTION, 499v
 SUGARS, 421g, 537c; metab. 553s
 SUICIDE, 375w, 526f
 SULFADIAZINE, ther. 4111
 SULFHYDRYL COMPOUNDS, 436q
 SULFIDES, 475b
 SULFONAMIDES, 406o, 434s, 445g, 455f, 513k; ad-
 min. & dos. 503u; eff. 418-1, 429-1, 471m, 481r,
 506v; metab. 366i; ther. 376r, 397-1, 416r, 460m,
 478w, 502m, 502v, 503k, 516r, 502e, 603f
 SULFONES, eff. 543v; ther. 448p
 SULFUR, 471q
 SURGERY, 386p, 453e, 499c, 501r, 574d; blood in
 539g, 607k; hist. 506t; in France 392p; mortal.
 51p, 476-1; plastic 434-1, 466n, 476q, 574d, 604h,
 604i; postop. care 398e, 436t, 462d, 569t, 605d, 605i,
 607t; postop. compl. 425i, 476f, 527m, 603g; preop.-
 care 511j
 SWEAT, 408v
 SWEAT GLANDS, dis. 370q, 425g, 540e; physiol.
 361r
 SWIMMING, 516-1, 586i
 SYMPATHECTOMY, 385r, 446s, 511e, 513f, 540a,
 540b, 540h, 568q
 SYMPHYSE PUBIS, abnorm. 442b
 SYNCOPE, 392w, 514b
 SYPHILIS, 370h, 426n, 442-1, 487h, 495t, 602r; blood
 in 486u; congen. 469u, 530i, 531v, 544w, 577p;
 diag. 396a; exper. 608p; Herxheimer reaction
 576k; immun. 416q, 608n; in inf. & child. 507f;
 penicillin ther. 370m, 456m, 568i, 576t, 608r; pregn.
 & syphilis 487g; progn. 508g; reinfect. 608s;
 serodiag. 450a, 521s, 572k, 581j; tertiary 440c,
 572d; ther. 370i, 395k, 417q, 456r, 575a
 SYRINGOMYELIA, 441r; etiol. & pathogen. 459i
 TABES DORSALIS, 515o, 608u; compl. & seq. 572g;
 diag. 384n
 TACHYCARDIA, paroxysmal 404b
 TANNIN, 537e
 TAPEWORM INFECTION, in inf. & child. 553u
 TAPEWORMS, 363w, 415f, 542v
 TAR, 471q
 TASTE, 485g
 TEETH, 366e, 423o, 423q, 424s, 485r, 513c, 548v, 551o,
 551r; abnorm. 486b, 516h, 549b, 550a; anat. & his-
 tol. 361o, 374f, 486-1; apicoectomy 368-1, 447e;
 caries 368j, 368q, 368s, 368t, 369a, 369b, 369c, 369f,
 369p, 423j, 423o, 474e, 485h, 485o, 486j, 486n, 516g,
 521a, 530k, 543i, 549e, 549g, 549i, 550b, 550j, 550-1,
 550m, 565a; develop. 367s, 368a, 369d, 488a, 549f,
 549n, 549q, 551a; diet in relation to 367n, 550b, 550d;
 dis. 368g, 369u, 423m, 424a, 424w; enamel 367g; ex-
 am. 368h, 549-1; extract. 367t, 367v, 548t, 550g; fill-
 ings 369w, 370c, 549p; impacted 367r; malocclu-
 sion 370b, 423g, 431c, 551j; pathol. 485n; prosth.
 368e, 369o, 370c, 423e, 423h, 424k, 485g, 485u, 486d,
 486e, 486q, 486r, 549c, 549d, 549j, 549k, 550t, 551d;
 pulp 367m, 368-1, 549g, 549i; reimplant. 460v;
 roent. 510m; roots 486o, 549c; tumors 368a, 550p,
 551r
 TELANGIECTASIS, 416k, 427-1
 TELEPATHY, 409p
 TEMPERATURE, 556j; eff. 363e
 TEMPERATURE, BODY, 387o, 408h, 420b, 540p, 596-1,
 599-1
 TEMPORAL BONE, fract. 578o
 TENDONS, rupt. 414d; transpl. 462n
 TERMITES, 543c
 TESTES, abnorm. 416i; dis. 604p; inflamm. 508t;
 prep. 587p; surg. 392-1; torsion 460p; tumors
 380f, 416i, 416j, 554f, 604v; undescended 458s
 TETANUS, 461p; immun. 443f, 464v; postop. 456o
 TETANY, 389n, 586p; diag. 542b
 TETRAETHYLAMMONIUM CHLORIDE, ther. 506d
 TETRAETHYLPIROPHOSPHATE, 380v
 THALAMUS, 399n; ther. 450k
 THALLIUM, tox. 459e
 THEOPHYLLINE, 454k; eff. 600f
 THERAPEUTICS, prog. 382b
 THERMOMETERS, 574g, 584d
 THERMOTHERAPY, 521i, 541c, 541d, 541i, 541t
 THIAMINE HYDROCHLORIDE, 433n, 469v; defic.
 469o; eff. 490d
 THIGH, tumors 578j
 THIOCYANATES, 539g; ther. 510r; tox. 586a, 598a
 THIOSULFATES, eff. 374d
 THIOUREA, 382k, 406q, 469k; admin. & dos. 490d;
 eff. 421w, 493j, 490e, 496f, 571k, 578e; ther. 392m,
 429i, 502e
 THORACIC DUCT, surg. 607n
 THORAX, dis. 368c, 461s, 463m; roent. 390i, 446i,
 479v, 537u, 537v; surg. 417p, 448t, 448t, 453j, 478d,
 503s, 518k, 540r, 579i; tumors 572u, 602b; wds. &
 inj. 461q, 566m
 THROAT, bact. 514n
 THROMBIN, 427-1, 452j
 THROMBOANGIITIS, obliterans 487e; ther. 574t
 THROMBOPHLEBITIS, 448v, 539v; portal 523k; re-
 tinal 589i; ther. 391t
 THROMBOSIS, aortic 501-1, 578d; coronary 499t; in
 inf. & child. 530h, 531d; mesenteric 576m; portal
 576m; postop. 453k, 605a; prev. 540g; renal 530e;
 sinus 578a, 591o; ther. 435-1, 440b, 495j, 50cf, 539u,
 539v, 564i, 577k, 605w
 THYMUS, 361v, 523q; hypertrophy 508m
 THYROID, 504m, 564k, 566a; anat. & histol. 476p;
 cysts 571n; dis. 362-1, 475n, 504d, 565b; excis.
 429i; hyperthyroidism 392m, 436f, 444r, 450r, 501f,
 501g, 502e, 507m, 507o, 520i, 565u, 577e; hypothyroid-
 ism 470q, 592t; pathol. 481q; physiol. 394p, 428c,
 450t, 490f, 507-1, 565w, 587f; prep. 430r, 463i; sar-
 coma 384a; surg. 391-1, 428a, 604t, 606v; tumors
 455p
 THYROXINE, 428d; eff. 421w, 427u, 429i, 596-1; ther.
 428h
 TIBIA, abnorm. 524g; deform. 524b; fract. 524i,
 805h
 TISSUE, 382p, 602i; chem. 366d, 398q, 473e, 565t; con-
 nective 524d; culture 375m, 377u, 394a, 428c, 458m,
 503i, 519d; physiol. 493c; respiration 534q, 599r;
 sections 517d, 556r
 TITRATION, 429q
 TOADS, 428v
 TOLUENE, 597a
 TONGUE, 582p; anat. & histol. 574f; cancer 401m;
 cysts 590h; dis. 517b, 590h; tumors 590k; wds. &
 inj. 454-1
 TONSILLECTOMY, 443u, 459a
 TONSILS, anat. & histol. 595c; infect. 503k; ulcers
 591f
 TOOTHBRUSH, 424p
 TORTICOLLIS, 442a, 464i
 TOXAPHENE, 378o
 TOXOIDS, 503k
 TOXOPLASMOSIS, 466g, 479f, 530g, 587t, 595c; exper.
 393m
 TRACHEA, 401r, 509h; for. body 413k; hemorrhh.
 571d; obstruct. 529e; tuberculosis 543r, 590f; tu-
 mors 593c; wds. & inj. 571d
 TRACHEOTOMY, 449j, 562i
 TRACHOMA, 504t
 TRANSPLANTATION, 582q
 TRAUMA, 451u, 499h, 565i
 TREMATODE, 495r
 TRICHINOSIS, 390d; exper. 481r
 TRICHOMONAS, 386a

- TRICHOPHYTOSIS, 426j
TRICUSPID VALVE, 510r, 529m
TRINITROPHENOL, 422h
TROPICAL MEDICINE, 478m, 479a; dis. 479b
TROPICS, 478n
TRYPAECOSOMA, 560d
TRYPAECOMIASIS, 479c, 504q, 536g, 567q; etiol. & pathogen. 410-l; exper. 598c; in animals 478t, 479u; ther. 598c
TRYPsin, 421k; eff. 374f, 374i
TRYPTOPHAN, 366b, 366-l, 384p, 418j, 421u; eff. 598u; metab. 422c, 422d
TSUTSUGAMUSHI DISEASE, 523e, 559k
TUBERCLE BACILLI, 435r, 440w, 448s, 554m, 567h; culture 384c, 403t, 543u; metab. 515v
TUBERCULIN, ther. 441s
TUBERCULOSIS, 381r, 415p, 442-l, 448-l, 450e, 455c, 461s, 480n, 505d, 507d, 518b, 519s, 543q, 544j, 551i, 554m, 564g, 568a, 576e, 587c, 595d; allergy in 442k, 544f; antigens & antibodies 440w; blood in 489e, 561w; Calmette-Guérin immunization 385f, 385k, 388n, 415-l, 442k, 450i, 451h, 474b, 502d, 504p, 505e, 521e, 521g, 544m, 544q, 561n, 574k; compl. & seq. 518a; diag. 405d, 543u, 581e; econ. & soc. asp. 474c; epidemiol. & statist. 567r; etiol. & pathogen 480e; exper. 465f, 543v, 544b, 544d, 544e, 579g; hist. 583c; immun. 387h, 397m, 405j, 511p, 511q, 518f; in inf. & child. 531q; mental asp. 415n, 586-l; military 544s, 563s, 577r, 602u; mortal. 480u; osteoarthritic 606j; pathol. 544f; pregn. & tuberculosis 544s; prev. & control 395e, 415j, 415k, 474i, 479t, 480b, 480k, 512u, 544k; progn. 415r; sanatoriums 387a; streptomycin ther. 395e, 412u, 440c, 448k, 507a, 511h, 543r, 578e, 606k; surg. in 518s; ther. 367i, 389k, 406i, 412i, 448m, 450r, 456n, 479u, 480f, 500-l, 541g, 544a, 566s, 597e; tuberculin reactions 405h, 415q, 450j, 474i, 487u, 543i, 544j; vaccine 512j, 593p
TUBERCULOSIS, PULMONARY, 386m, 396n, 398f, 415-l, 448n, 448q, 489q, 514n, 518w, 543p; anesth. 417p; artif. pneumothorax in 412v, 480a, 506c; cavitation in 603e; diag. 591u; roent. 538d; streptomycin ther. 480j, 510w, 566c, 573s; surg. ther. 412v, 448h, 450f, 450g, 457c, 459e, 480b, 498h, 580i, 603d; ther. 413f, 415q, 437u, 447q, 448n, 450i, 480c, 490d, 480e, 480i, 522t, 567b, 567c, 587c, 587e, 602v
TULAREMIA, epidemiol. & statist. 480u; ther. 560f, 560g, 560h
TUMORS, 380f, 420-l, 455-l, 562f; adamantinoma 424d, 485e; adenoma 445k, 449q, 469o, 513i, 589j, 593r; adenomyoma 442r, 578j; angioma 414d, 425m, 506b, 525a, 558d, 589m; cells 468r; cementoma 583r; conjunctivoma 605r; cystadenoma 469d, 476n; dermoid 589-l; diag. 382m, 382n, 517-l; endometrioma 442r; epithelioma 538p; etiol. & pathogen. 382m, 420d, 468w, 547b, 547j, 547k, 555i; Ewing's 398p, 607g; exper. 364d, 364v, 382-l, 547p; extracts 547j, 547m; fibroadenoma 539b; fibroma 377e, 446d, 505g, 550p; glioma 403d, 464i, 589m; glomus 463e; granuloma 413w; hemangioma 425-l; hematoma 426p, 449p; hypernephroma 504f; in animals 364r, 365a; in inf. & child. 532-l, 532s; lipoblastoma 589i; lipoma 477e; lymphangioma 405b; lymphoblastoma 476o, 515f; melanoma 441h, 466j, 502j, 551a, 576r, 588t, 589g; metastasis 455p; mixed 590j; myeloma 402 402m, 447t, 459u, 548k; myoma 402n, 454p, 457j; myxoma 451j, 539c, 571u; neurinoma 517b, 553e, 590k; neuroma 468o, 527g; osteochondroma 524-l; osteoma 470c, 580d; papilloma 572i; plasmoma 403j; radiother. 495g; sympatheticoblastoma 413e; teratoma 540-l; tuberculoma 442e; Wilms 458-l
TWINs, 404d, 431r, 495v, 521o; univolar 431d
TYPHOID, bacilli 418n, 435r; compl. & seq. 379u, 442a, 442g; epidemiol. & statist. 383i, 479b, 522g, 583s; immun. 378a, 454w; in inf. & child. 404g; prev. & control 536i; ther. 502m, 593e; toxin 377u; vaccine 598r
TYPHUS, 382u, 414u, 515d, 574q, 589i
TYROSINE AND TYROSINE COMPOUNDS, 583f, 599r, 599s, 600b
TYROTHRIN, ther. 572j
UDDERS, 582-l
ULCERS, 371-l, 391a; perf. 390p; ther. 371t, 378v; tropical 542w
ULNA, fract. 391h, 462t
ULTRAVIOLET RAYS, 487g, 492u; eff. 413u; inj. eff. 361d
UMBILICAL CORD, 495-l, 581d; blood supply 592p; tumors 449p
UNDULANT FEVER, 397j, 411g, 515k, 596b; compl. & seq. 588s; diag. 411d, 411f, 535o, 535p; epidemiol. & statist. 411h; ther. 379i, 411i, 437b, 445g
UNIVERSITIES, 465d
URANIUM, 469-l, 555q; tox. 472k, 472m
UREA, clearance 552g; form. 599a
UREMIA, ther. 387f, 453w, 573d
URETERS, abnorm. 416d, 476w, 494k; anat. 390m; calculi 415w, 438b, 518n, 602g; cancer 416f; dilatation 415v, 415w; surg. 416d, 503f
URETHANE, 548s; ther. 426p, 561a
URETHRA, 416-l; inflamm. 521n; prolapse 415v; surg. 392-l
URINARY TRACT, calculi 583b; dis. 403s, 434d; infect. 385c, 393e, 445f, 459o, 503q, 521i, 539-l; surg. 439p, 606-l
URINATION, disord. 380q, 494h, 522v, 541i; in inf. & child. 470r; incontinence 431i, 464g, 512e
URINE, amino acids 472k, 472m, 488u, 570n; bile pigments 572p; chem. 386s, 597k, 608f; chlorides 578h; cholesterol 439g; creatine & creatinine 372j, 405c, 470a; cystinuria 508d; glycoxyamine & glycoxyamidide 469w, 529p; in inf. & child. 554j; nitrogen 367h, 497t; pentose 570r; pigments 437f; porphyrin & porphyrin compounds 399j, 448i, 594n; pyridine 406d; rennin 561b; sodium compounds 488e; steroids 372i, 380-l, 385j, 427r, 450n, 451b, 490o, 548o, 554j; sugar 514o, 571v; suppression 497u, 606t; tryptophan 384p; uric acid 372j
UROGENITAL TRACT, tuberculosis 450n
UROLOGY, 566u, 572o
URTICARIA, 426g; etiol. & pathogen. 425k; pigmentosa 425i, 552k; ther. 361-l
UTERUS, 421r, 494-l; abnorm. 377g, 397e, 502-l; adnexa 606i; anat. & histol. 519c; cancer 377b, 380u, 412p, 439m, 439o, 494j, 495d, 498m, 500d, 510v, 561m, 569-l, 573v; cervix 376v; contractions 429b; curettage 504b; dis. 444u; displacement. 449s; eff. of drugs on 495m; excis. 570n, 571g, 807m; fibroma 505g, 577v; fixation 431k; hemorrh. 449t, 561h; hydatisform mole 376m, 376s, 554f, 577j, 577w; myoma 376p; perf. 454i, 574o; physiol. 428b; prolapse 431i, 513w; roent. 431h, 431j, 431k; rupt. 376k, 451i, 495f, 504g, 513g; tuberculosis 434i; tumors 475o, 573v
UVEA, 587p; dis. 466r; inflamm. 518b, 587t; tumors 502j
VACCINATION, 382t, 459d, 559c
VAGINA, 558-l, 579s; dis. 392n; bact. 376i; secretion 403v, 494p; tumors 449q
VAGOTOMY, 371j, 383e, 413q, 443b, 457d
VARICOSE VEINS, ther. 499k, 504u, 521c, 605h
VASOMOTOR SYSTEM, 386r; anat. & histol. 407i; eff. of drug on 440n, 488j; physiol. 407i
VATER'S AMPULLA, 539m; surg. 603u
VEINS, azygos 579t; exam. 605f; iliac 605w; pulmonary 599e; renal 416c; roent. 391b; spasm 607d

VENAE CAVAE, 605v; surg. 390s, 440m, 605t, 606a
 VENEREAL DISEASES, 397e, 416p, 522e, 584b, 608v;
 diag. 416q; epidemiol. & statist. 522d; hist.
 416s; in inf. & child. 465b; prev. & control 388v,
 410m, 416o, 426g, 465b, 480r, 480w, 514k, 536e, 552e;
 ther. 446f

VENOM, eff. 599d; ther. 514v

VENTILATION, 411s

VERITOL, 478j; eff. 542a

VERNIX CASEOSA, pathol. 532h

VERRUCA, ther. 523c, 527a, 578f, 585a

VERTIGO, 528w; aural 383i, 401u, 442w, 591p

VETERANS, disabilities 479b; rehabil. 385b, 387r

VETERINARY MEDICINE, 461h, 466a, 537w

VIRILISM, 558k

VIRUSES, 418i, 504s, 531k, 559b; culture 378b; dis.
 419i, 500u, 577o, 580s

VISCERA, transposition 417d, 513h, 538u, 552v, 576-l

VISION, 430i, 467q, 535v, 587a, 589s; acuity 401g,

588p; conservation 507g; defect. 467p, 527k,

528b, 528-l, 600u; physiol. 422s, 467u, 473d; tests

375n, 401g

VITAL CAPACITY, 511f, 565q

VITAL STATISTICS, morbid. 536m; mortal. 364i,
 404p, 495h

VITAMINS, 368j, 383p, 387d, 456n, 466a, 466e, 499d,
 517r, 573j, 587h; defic. 498p; ther. 608k

VITAMINS A, 365u, 422q, 464p, 470c, 510r, 511n, 528t,
 533u, 571k, 587i

VITAMINS B, 375n, 393b, 393v, 396t, 418j, 425u, 435w,
 436d, 456g, 466b, 503v, 515m, 529r, 531o, 565e; tox.
 447q

VITAMINS B₁₂, 390r, 501s, 506-l, 556q

VITAMINS C, 447p

VITAMINS D, 387g, 425r, 425t, 450n, 487g, 500o

VITAMINS E, 404k, 429-l, 443d, 462m

VITAMINS K, 435b, 466c, 510r

VITREOUS HUMOR, 429d, 527g, 528b, 528j

VOCATION, guidance 473m, 586g

VOMITING, 489v

VULVA, abnorm. 416j; dis. 607v; tuberculosis
 558g; tumors 514f; ulcers 454d

WAR, 375w, 583n; med. serv. 397u; prison & in-
 termination camps 397v, 583p; psychol. & psychiat.
 aspects 469s; vital statist. 493n; wds. & inj.
 607d

WATER, 459p, 520f, 538a; exam. 491k, 563v; metab.
 571o; mineral 428j, 444h, 444k, 444m, 453q, 499h,
 502q, 518h, 541o, 562i, 563u, 573q; pollution 411v,
 601q; purification 411k, 411-l, 411o, 411v, 411w,
 412a, 412b, 444g, 601s; supply 411t, 433o, 529g, 583t

WEIGHT, 471q

WHOOPING COUGH, 530m, 577n; compl. & seq.

441w, 531r; immun. 498d, 531f; ther. 433p, 564j,

593a, 593n; vaccine 385r, 439i, 498d

WORK, 475f; phys. 407p

WORLD HEALTH ORGANIZATION, 416o

WORMS, 417j, 430b

WOUNDS, gunshot 550t; healing 436q, 476t, 539c; in-
 fect. 461p, 527m; ther. 521c

WRIST, disloc. 433k; surg. 398p; wds. & inj.
 459u

WRITING, 516h

XANTHOMA, 425p

YAMS, 554v

YEASTS, 363b, 393a, 418j, 466d; action 421o; growth
 534m

YELLOW FEVER, 478v; epidemiol. & statist.

479a; immun. 479k; transm. 479-l

ZINC, 306e, 421h

ZOOLOGY, 363a, 419s

THE CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price, \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the ARMY MEDICAL LIBRARY, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

THE CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price, \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the ARMY MEDICAL LIBRARY, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

